Volume 5
1979
Pages L1–236, 1–1796

Journal of Physics G

Nuclear Physics

A Europhysics Journal
published by
The Institute of Physics

Copyright © 1979 by The Institute of Physics and individual contributors. All rights reserved. Multiple copying of the contents or parts thereof without permission is in breach of copyright, but permission is hereby given to copy titles and abstracts of papers and names of authors. Permission is usually given upon written application to the Institute to copy illustrations and short extracts from the text of individual contributions, provided that the source (and, where appropriate, the copyright) is acknowledged. The code at the bottom of the first page of an article in this journal indicates that copies of the article may be made in the USA for personal or internal use, on condition that the copier pays the stated per-copy fee to the Copyright Clearance Center, Inc. for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law.

Bibliographic Codes
CODEN: JPHGBM 5 i–xiv L1–L236 1–1796 (1979)
ISSN: 0305–4616

Published by The Institute of Physics, 47 Belgrave Square, London SW1X 8QX, England, in association with The American Institute of Physics.

Printed in Great Britain by Gibbons Barford Print, Wolverhampton.

Set in 10 on 12 pt Times New Roman.

Journal of Physics G: Nuclear Physics

Honorary Editor

W D Hamilton PhD FInstP

Deputy Editor

W Greiner PhD

Editorial Board

H R Allan PhD
K J Barnes PhD (until May 1979)
D V Bugg PhD FInstP
R Chapman PhD MInstP (from September 1979)
R H Dalitz PhD FRS
J P Elliott PhD
G S Goldhaber PhD FAPS
I G Halliday PhD (from September 1979)
M P Locher PhD
A D Martin PhD
J Saudinos Dr es Sc
P J Twin PhD MInstP

Managing Editor

D S Robertson BSc

Staff Editor

S E Toop MSc

Contents

NO 1 JANUARY 1979

LETTERS TO THE EDITOR

Pi-ball configurations in high-energy multiparticle production — *C Michael and D M Webber* — L1

LOCV calculations and the three-body cluster energy in nuclear matter — *M Modarres and J M Irvine* — L7

Search for tachyons in extensive air showers — *P N Bhat, N V Gopalakrishnan, S K Gupta and S C Tonwar* — L13

PAPERS

Elementary Particle Physics

An orthogonal way: A synthesis for leptons and hadrons — *K J Barnes, P D Jarvis and I J Ketley* — 1

Theoretical search for a π^-nn stable bound state — *G Kalbermann and J M Eisenberg* — 35

Medium-energy pion scattering and the α-cluster description of ^{12}C — *N Bano and I Ahmad* — 39

Nuclear Physics

Shell effects in the RMS radii of the nuclear charge distributions determined by electron scattering — *D Nir* — 53

Calculation of energy spectra in $N = 28$ nuclei — *D S Chuu, C S Han, M C Wang and S T Hsieh* — 59

On the distribution of the angular momentum coefficients — *N Ullah* — 67

On isospin-forbidden transitions — *I Rotter* — 75

The single-particle potential, symmetry coefficient and effective mass in nuclear matter — *B Behera and R K Satpathy* — 85

The phenomenology of proton elastic scattering and evidence for angular-momentum-dependent optical-model potentials — *A M Kobos and R S Mackintosh* — 97

Gamma–gamma coincidences and electron conversion measurement in ^{141}La — *A N Proto, D Otero and E Achterberg* — 121

Cosmic Rays

Coupling functions for muon telescopes at sea level and underground — *A K Das and A K De* — 133

Electrons in large air showers observed at 5200 m above sea level — *C Aguirre, F Kakimoto, K Kamata, T Kaneko, P K MacKeown, Y Mizumoto, K Murakami, M Nagano, H Nakatani, K Nishi, K Suga, Y Toyoda, A Trepp and H Yoshii* — 139

Muons in large air showers observed at 5200 m above sea level — *C Aguirre, F Kakimoto, K Kamata, T Kaneko, P K MacKeown, Y Mizumoto, K Murakami, H Nakatani, K Nishi, K Suga, Y Toyoda, A Treppi and Y Yoshii* — 151

The density spectrum of cosmic-ray air showers at very high densities — *C B A McCusker and M M Winn* — 159

NO 2 FEBRUARY 1979

LETTERS TO THE EDITOR

Three-quasiparticle isomers and rotational bands in ^{171}Hf and ^{173}Hf — *G D Dracoulis, P M Walker and K F Yee* — L19

A semiempirical prediction of resonances in heavy-ion reactions for s–d shell nuclei — *D Počanić and N Cindro* — L25

Two-step processes and their energy dependence in the ^{24}Mg (p, d) ^{23}Mg reaction — *N M Clarke* — L33

The interpretation of the spectra of high-energy gamma-ray families obtained in the Pamir and Fuji experiments — *H Bielawska and A Tomaszewski* — L37

PAPERS

Elementary Particle Physics

The evaluation of Feynman integrals in the physical region using multi-valued approximants — *L Short* 167

Factorisation of Regge slopes for multi-quark hadrons — *R Anderson and G C Joshi* 199

A simple analytic treatment of rescattering effects in the Deck model — *M G Bowler* 203

Fission antineutrino-induced reactions — *S A Fayans, L A Mikaelyan and Yu L Dobrynin* 209

Weak hadronic and radiative decays of non-strange charmed baryons in SU(3) for the u, d and c quark sector — *S Kanwar, R C Verma and M P Khanna* 219

Finite-range effects in the πNN, πNΔ and πΔΔ vertices — *M Dillig and M Brack* 223

High-energy nuclear collisions: Evolution of the compressed zone — *K K Gudima, H Iwe and V D Toneev* 229

Nuclear Physics

On the study of hole states by the continuum shell-model formalism — *A Famery* 241

External mixing of resonance states — *I Rotter* 251

Weak-coupling approximation for the spectroscopy of medium-mass and heavy nuclei. I: The structure of Mo isotopes — *A Kumar and R K Bansal* 265

TDHF calculations for nuclear collisions: model studies of alpha–alpha scattering — *K R Sandhya Devi, M R Strayer and J M Irvine* 281

On Humblet's modified K matrix — *R Huby* 295

The spin and parity of the 10·9 MeV resonance in $^{16}O + ^{12}C$ — *N Cindro, G Vourvopoulos, X Aslanoglou, G Andritsopoulos, P Assimakopoulos and B Bakoyorgos* 309

The difference in nuclear charge radius between $^{110,112,114,116}Cd$ — *C W E van Eijk, J Wijnhorst, M A Popelier and W A Gillespie* 315

Light-charged-particle emission in keV neutron-induced fission of ^{239}Pu — *B Krishnarajula, S Sen and G K Mehta* 319

NO 3 MARCH 1979

LETTER TO THE EDITOR

The microscopic spin–orbit potential for light ions — *M D Cohler, R J Griffiths, N M Clarke and J S Hanspal* L43

PAPERS

Elementary Particle Physics

Non-convexity of unitary angular distributions and partial-wave ambiguities in the presence of error-affected data — *W Langbein* 325

Moving scale dimension pole in quantum electrodynamics — *A Khare and T Pradhan* 337

Nuclear Physics

Microscopic theory of nuclear collective rotation. I: General description of rotations — *H Herold and H Ruder* 341

Microscopic theory of nuclear collective rotation. II: Microscopic description of deformed nuclei — *H Herold* 351

The physical interpretation of angular-momentum-dependent optical potentials — *R S Mackintosh and A M Kobos* 359

Virtual photon intensity and finite nuclear size effects — *A C Shotter* 371

Positive-parity alpha clusters in ^{19}F — *H T Fortune* 381

Microscopic models of the 2_1^+ and 3_1^+ states in ^{24}Mg and ^{28}Si and their test by inelastic scattering analyses — *P Nesci, I Morrison and K Amos* 387

Yield measurements in the reactions $^{48}Ca(p,\gamma)^{49}Sc$ and $^{48}Ca(p,n)^{48}Sc$ — *S R Kennett, Z E Switkowski, B M Paine and D G Sargood* 399

Lifetimes of excited states in ^{54}Mn and ^{53}Cr — *D C Radford and A R Poletti* 409

Decay scheme of excited states in ^{67}Ge — *A M Al-Naser, A H Behbehani, P A Butler, L L Green, A N James, C J Lister, P J Nolan, N R F Rammo, J F Sharpey-Schafer, H M Sheppard, L H Zybert and R Zybert* 423

Cosmic Rays
Sea-level flux determination for heavy cosmic-ray particles
A M Bakich, L S Peak and P A Riley 433
Primary cosmic-ray nucleon spectrum from the sea-level muon spectrum using the scaling model
A K Das and A K De 445

NO 4 APRIL 1979

LETTERS TO THE EDITOR
Quantum electrodynamics at short distances and the stability of the vacuum *B H Kellett* L49
Two consistent calculations of the Weinberg angle *D B Fairlie* L55
4p and 6p–2h states in ^{20}O *S LaFrance, H T Fortune, S Mordechai and R Middleton* L59
Comparison of entrance, exit and reaction channel data at backward angles for ^{28}Si(^{12}C, ^{16}O)^{24}Mg
M R Clover, B R Fulton, R Ost and R M DeVries L63
Ambiguities in the ^{3}He spin–orbit potential for ^{32}S
J Barnwell, M D Cohler, N M Clarke, R J Griffiths, J S Hanspal, O Karban and S Roman L69
A possible semimicroscopic mechanism to generate two 0^+ bands and their band mixing; ^{110}Cd as an example *V Paar and R A Meyer* L75
Description of the substructure in the radiative strength function of ^{117}Sn and ^{119}Sn
C Z Khuong, V G Soloviev and V V Voronov L79
Effect of number conservation on energy spectra of ^{158,160}Er *M R Gunye and C S Warke* L83

PAPERS
Elementary Particle Physics
Some aspects of the solutions of cylindrically symmetric Yang–Mills equations *W B Yeung* 457
A supersymmetric form of the Thirring model *B L Aneva and D T Stoyanov* 463
Uniqueness of the axial vector anomaly *A K Kapoor* 471
The covariant nature of helicity conservation *A Bradley and F D Gault* 481
The multipole $E_{1+}^{(3/2)}$ of photopion production on nucleons and its double zero at the resonance $\Delta(1232)$
A Jurewicz 487
On the structure of the πd amplitude near the ΔN threshold *Yu A Simonov and M van der Velde* 493

Nuclear Physics
The imaginary components of $T=1$ nucleon–nucleon phase-shifts and their effect on spin-dependent inelastic cross sections *A M Green and M E Sainio* 503
LOCV calculations with a self-consistent treatment of isobars *M Modarres and J M Irvine* 511
A Thomas–Fermi study of rapidly rotating nuclei *L Münchow and H Schulz* 527
Analysis of p-shell hypernuclei with effective lambda–nucleon potentials
F Mujib, M Shoeb, Q N Usmani and M Z R Khan 541
Analytic form for the off-shell p–p T matrix for the Graz separable interaction *R J W Hodgson* 555
Neutron and alpha-particle transfer processes in the reaction ^{12}C (^{9}Be, ^{8}Be) ^{13}C
L Jarczyk, B Kamys, A Strzałkowski, M Hugi, J Lang, R Müller and E Ungricht 565
Precision Doppler-shift attenuation lifetime measurements in ^{28}Si and ^{31}P
A R Poletti, L K Fifield, J Asher and B E Cooke 575
Mean lifetimes of ^{85}Sr levels *S K Basu, A P Patro, S Brant and V Paar* 585

Cosmic Rays
Scaling, the energy dependence of the total inelastic p–air cross section and the hadron energy spectrum
J E F Baruch, G Brooke, E W Kellermann and N D Walster 595
Corrigendum *P Kroll, E Leader and W von Schlippe* 601

NO 5 MAY 1979

LETTER TO THE EDITOR
What do the baryonium data tell us about the nucleon–antinucleon potential?
A Khare and J Maharana L87

PAPERS

Elementary Particle Physics

The gluon propagator — *R Delbourgo* 603

Screening of static colour charges in classical gauge theories — *A T Gillespie* 619

Flavour symmetry breaking and production processes in dual unitarisation — *D K Ponting* 629

Hadronic and electromagnetic widths of mesons in the style schemes — *K J Barnes, P H Dondi, P D Jarvis and I J Ketley* 649

Determination of the pion–nucleon coupling constant — *V K Samaranayake* 657

Nuclear Physics

On the impulse approximation for the (p, 2p) reaction — *B K Jain* 663

Alpha-structure amplitudes for nuclei in the lower half of the sd shell — *M Conze and P Manakos* 671

On structures in the energy dependence of nuclear reaction cross sections — *I Rotter* 685

Study of ^{151}Eu levels via the (p, 2nγ) reaction — *G Lo Bianco, N Molho, A Moroni, S Angius, N Blasi and A Ferrero* 697

The pre-equilibrium contribution to the (n, 2n) reactions of ^{232}Th and ^{238}U — *H Karius, A Ackermann and W Scobel* 715

Investigations of the hard beta radiation from ^{252}Cf fission — *A A Borovoy, Yu V Klimov, V I Kopeykin and K D Shkolnik* 723

NO 6 JUNE 1979

LETTER TO THE EDITOR

Path-integral approach to time-dependent self-consistent field theories — *H Reinhardt* L91

PAPERS

Elementary Particle Physics

Is there a new neutral current? — *G G Ross and T Weiler* 733

Nuclear Physics

Coulomb energy anomaly and charge-dependent nuclear forces — *B Kämpfer and I Rotter* 747

Comparison of reaction matrices for free scattering and nuclear matter — *M Dey, B C Samanta and J Dey* 757

The transfer amplitude and angular distributions in heavy-ion reactions — *H Hasan and D M Brink* 771

A search for high-energy alpha particles from superheavy elements — *H J Rose and D Sinclair* 781

Experimental study of resonance line-shapes in ^{12}C(τ, d) stripping into the continuum — *H Fuchs, T S Bhatia, P Doll, H Hafner and G J Wagner* 797

Gamma-ray spectroscopy on ^{48}Cr — *L P Ekström, G D Jones, F Kearns, T P Morrison, O M Mustaffa, D N Simister, H G Price, P J Twin, R Wadsworth and N J Ward* 803

Experimental evidence for low-lying intruder states in ^{54}Mn — *M Toulemonde, F A Beck, C Gehringer, B Haas, J C Merdinger, N Schulz and J P Vivien* 819

The level structure of ^{78}Br — *B M Kluger-Bell, R E Anderson, R J Peterson, D E Prull, R A Ristinen and B L Smith* 827

The (n, 2n) cross sections of ^{85}Rb, ^{107}Ag and ^{181}Ta at 14·6 MeV — *S C Misra and U C Gupta* 855

Cosmic Rays

Neutral to charged ratio for unaccompanied high-energy cosmic-ray hadrons at mountain altitude — *J R MacFall, R W Ellsworth, A S Ito, F Siohan, R E Streitmatter, S C Tonwar, P R Viswanath and G B Yodh* 860

NO 7 JULY 1979

LETTERS TO THE EDITOR

A method of exact calculation of fixed-*J* configuration centroids — *C Jacquemin and S Spitz* L95

Derivation of the nuclear one-body dissipation formula from the Boltzmann equation — *R W Hasse* L101

How prompt is Coulomb fission? — *H Kruse, W T Pinkston, W Greiner and V Oberacker* L105

PAPERS

Elementary Particle Physics

$SU(3) \times U(1)$ low-energy symmetry within the unifying $SU(4)_F \times SU(4)_C$ gauge group
S Rajpoot and M Singer 871

Asymptotic SU(5) symmetry and spectral-function sum rules
V P Gautam, B Bagchi and A Nandy 885

Models for the non-static NΔ interaction *E Kapon, E Piasetzky and J M Eisenberg* 893

Nuclear Physics

Microscopic theory of nuclear collective rotation. III: Test of the SDHFB and the HFBP method in an exactly solvable realistic model *H Herold, M Reinecke and H Ruder* 907

On some aspects of Coulomb excitation of nuclear rotational states
H Massmann and H Robotham 915

Empirical continuation of the differential cross section *I Borbély* 937

Cross sections for production of transfermium elements
M T Magda, M Duma and A Sandulescu 961

High-spin states in ^{43}K
A H Behbehani, A M Al-Naser, L L Green, A N James, C J Lister, N R F Rammo, J F Sharpey-Schafer, H M Sheppard and P J Nolan 971

The ^{130}Te $(p, \alpha)^{127}$Sb reaction and the role of the collective neutron excitations
P Debenham, W R Falk, O Abou-Zeid and N E Davison 981

Band mixing in doubly-even nuclei at the beginning of the rare-earth region
A Covello and G Giberti 989

Neutron-induced fission of lead isotopes *T Czyzewski, J Dudek, M Sowiński and J Tys* 1001

NO 8 AUGUST 1979

LETTERS TO THE EDITOR

Flavour symmetry breaking and isovector parity-violating potentials
H Galić, B Guberina, I Picek and D Tadić L113

Flavour and spin effects in the quark sea *M H McCall* L117

On the elastic pd and quasifree A(p, Nd)B scattering at intermediate energies *L Végh* L121

Coulomb effects in inelastic pion–nucleus scattering *J-F Germond and C Wilkin* L127

The magnetic susceptibility of neutron matter *M Modarres and J M Irvine* L133

Atmospheric Cerenkov study of the development of cosmic-ray showers
G J Thornton and R W Clay L137

PAPERS

Elementary Particle Physics

Unitary bounds on elastic absorptive amplitudes involving total cross section, forward slope and curvature. II *A K Raina and V Singh* 1019

Weak hadronic decays of uncharmed baryons in SU(3)—dynamical considerations
R C Verma and M P Khanna 1033

Parton recombination model including resonance production
R G Roberts, R C Hwa and S Matsuda 1043

A theoretical investigation of the bound states and resonances in the NΔ system
V B Belyaev, K Möller and Yu A Simonov 1057

Nuclear Physics

On the charge-asymmetric term in the nuclear binding energies of heavy nuclei *P Haensel* 1071

Energy per particle, effective mass and magnetic susceptibility in neutron matter
B Behera and R K Satpathy 1085

Deformation energies for nuclei with different charge-to-mass ratio
D N Poenaru, D Mazilu and M Ivaşcu 1093

Inelastic scattering of 14·8 MeV neutrons from deuterons
K Gul, A Waheed, M Ahmad, M Saleem and N A Khan 1107

A comprehensive study of the γ-ray spectroscopy of ^{43}Ca
A H Behbehani, A M Al-Naser, A J Brown, L L Green, A N James, C J Lister, N R F Rammo, J F Sharpey-Schafer, L H Zybert, R Zybert and P J Nolan 1117
On the deformation parameter of ^{66}Ga *C T Yap and E L Saw* 1157
Positive-parity states of ^{85}Kr *S Bhattacharya and S K Basu* 1163
Directional correlations of gamma transitions in ^{105}Rh
R N Saxena, V A P Esteves and F C Zawislak 1169

NO 9 SEPTEMBER 1979

LETTERS TO THE EDITOR
Isospin et baryonium *J-M Richard* L141
The signature for a high-density isomeric state formed in a relativistic heavy-ion collision
J M Irvine L143

PAPERS
Elementary Particle Physics
Interpretation of the spin structure in nucleon–nucleon scattering
P Kroll, E Leader and W von Schlippe 1179

Nuclear Physics
Self-consistent study of the surface thickness of nuclear densities and single-particle potentials
F Tondeur 1189
The use of Coulomb wavefunctions in momentum space for two-particle scattering
K Dreissigacker, H Pöpping, P U Sauer and H Walliser 1199
Matrix elements for scattering and two-nucleon transfer operators derived from dynamic deformation theory wavefunctions *J S Vaagen and K Kumar* 1211
Low-energy behaviour of the proton optical potential of Sn
B Gyarmati, T Vertse, L Zolnai, A I Baryshnikov, A F Gurbich, N N Titarenko and E L Yadrovsky 1225
Effects of coupled reaction channels on polarisation in ^{3}He scattering
N M Clarke, M D Cohler and R J Griffiths 1233
High-spin states in ^{23}Na obtained by approximate microscopic methods compared with shell-model calculations *F Brut, N Mankoč-Borštnik and S Jang* 1249
Cross sections for the ^{42}Ca(p, γ)^{43}Sc, ^{42}Ca(α, n)^{45}Ti and ^{44}Ca(p, n)^{44}Sc reactions
C W Cheng and J D King 1261
Fragmented $g_{9/2}$ isobaric analogue resonances in the ^{52}Cr(p, γ)^{53}Mn reaction
I Fodor, J Sziklai, P Kleinwächter, H Schobbert and F Herrmann 1267
Gamma-ray spectroscopy in ^{63}Zn and ^{63}Cu
O M Mustaffa, L P Ekström, G D Jones, F Kearns, T P Morrison, H G Price, D N Simister, P J Twin, R Wadsworth and N J Ward 1283
The ^{238}U(γ, α) and ^{238}U(n, αn′) reactions—have they really been observed?
E W Lees, B H Patrick and S Lindley 1307

NO 10 OCTOBER 1979

LETTERS TO THE EDITOR
Lifetimes and branching fractions of mesons with heavy-quark constituents
V Barger, W F Long and S Pakvasa L147
Tensor meson production in photon–photon collisions *W N Cottingham and I H Dunbar* L155
Electromagnetic potential between nucleons *D Kiang and Y Nogami* L159
Are the E1 transitions from octupole vibrational states collective or particle transitions?
L K Peker and J H Hamilton L165
Alpha decay as a fission-like process *D N Poenaru, M Ivaşcu and A Săndulescu* L169
Deformation of the neutron excess and (p, n) scattering *R G Lovas* L175
Angular momentum dissipation in DIC within a classical friction model *R Schmidt and R Reif* L181

The onset of deformation in the neutron-rich Ba isotopes
S M Scott, D D Warner, W D Hamilton, P Hungerford, G Jung, K D Wünsch and B Pfeiffer L187
Proton–proton total cross section at cosmic ray energies *S C Tonwar* L193

PAPERS
Elementary Particle Physics
The p-exchange isovector parity-violating potential *B H J McKellar* 1313
Massless fermion representations in grand unified gauge theories *M T Vaughn* 1317
Three-jet production in large-$p_\perp$ reactions *A Schiller* 1329
$\Delta\sigma_L$(NN) between 400 and 600 MeV *D V Bugg* 1349

Nuclear Physics
Parameters of the deformed Woods–Saxon potential outside $A = 110$–210 nuclei
J Dudek, A Majhofer, J Skalski, T Werner, S Ćwiok and W Nazarewicz 1359
Equation of state for hot nuclear matter *U Heinz, W Greiner and W Scheid* 1383
A mechanism for forming highly dense nuclear matter in relativistic nucleus–nucleus collisions *H Iwe* 1405
On positive-parity states of ^{45}Sc, ^{47}Sc and ^{49}Sc
P Doll, G Mairle, H Breuer, K T Knöpfle, T Tohei and G J Wagner 1421
Electron capture to positron emission ratios in the allowed decay of ^{89}Zr
A D Baillie, K W D Ledingham, J G Lynch and M Campbell 1433
The decay of 2·8 min ^{145}Ce and 2·3 min ^{148}Pr *H W Taylor and B Singh* 1445

NO 11 NOVEMBER 1979

LETTERS TO THE EDITOR
Time delay and correlation length of fluctuations in nuclear reactions *M Bauer and P A Mello* L199
Is there evidence for rotation along the axis of symmetry in transitional nuclei?
L K Peker and J H Hamilton L203
Pseudomagic nuclei *G Scharff-Goldhaber* L207
Coulomb–nuclear interference and reaction cross-section in charged particle scattering
G Bendiscioli L213
A Fano effect in photonuclear reactions? *R Rosenfelder and J Husain* L217

PAPERS
Elementary Particle Physics
Reggeon exchange in the quark model *P D B Collins and A D M Wright* 1461
The pion structure function and scale breaking in Drell–Yan processes *R Moore* 1509
Radiative weak decays of uncharmed hyperons *K Sharma, R C Verma and M P Khanna* 1519
Photoproduction of charged pions on neutrons
G Ramachandran, R S Keshavamurthy and M V N Murthy 1525
On the mesonic-exchange currents in the photomesic reactions *C Lazard, Z Marić and Dj Živanović* 1549

Nuclear Physics
Polarisation measurements in elastic electron–deuteron scattering and the percentage D state of the deuteron *L J Allen and H Fiedeldey* 1555
The sign change in E2:M1 multipole mixing ratios in the mass-150 region *W D Hamilton and K Kumar* 1567
Spectroscopic investigation of decaying states *I Rotter* 1575
Proposed new approach to an empirical optical model *R S Mackintosh* 1587
The properties of low-lying levels of ^{129}Xe and ^{131}Xe
A D Irving, P D Forsyth, I Hall and D G E Martin 1595

Cosmic Rays
Photoproduction in large cosmic-ray showers *T J L McComb, R J Protheroe and K E Turver* 1613

NO 12 DECEMBER 1979

LETTERS TO THE EDITOR
M2 giant resonance in light nuclei
G E Dogotar, R A Eramzhyan, M Gmitro, H R Kissener and E Tinkova L221

The $d\sigma(p, p'd)/d\sigma$ (p, nd) ratio for ^{7}Li at $T_p = 670$ MeV calculated in a simple model
L Végh and J Erö L227

Compression phenomena and Mach shock waves in fast nucleus–nucleus collisions
H G Baumgardt and E Schopper L231

PAPERS

Elementary Particle Physics

Proof of the Nambu–Goldstone realisation for vector-gluon–quark theories
R Delbourgo and M D Scadron 1621

Production of light leptons in arbitrary beams via many-vector boson exchange *E Mahdavi-Hezaveh* 1633

Nuclear Physics

On a comparison between Lanczos and Householder methods *J Sau and K Heyde* 1643

A simplified generator coordinate treatment with analytical projected-BCS solutions for isovector pairing collective motions *M Kyotoku and H-T Chen* 1649

Proton and neutron density distributions for $A = 16$–58 nuclei
B A Brown, S E Massen and P E Hodgson 1655

Energy dependence of the optical potential for proton scattering from light nuclei
I Abdul-Jalil and D F Jackson 1699

Quasifree knock-out of proton pairs in the reaction C(p, 3p) at 640 MeV
V I Komarov, G E Kosarev, H Muller, D Netzband, T Stiehler and S Tesch 1717

Correlations betweeen (n, γ) and (d, p) reactions on ^{144}Sm
D D Warner, W F Davidson and W Gelletly 1723

Elastic and inelastic scattering of alpha particles from ^{6}Li at 59 MeV
F Foroughi, E Bovet and Ch Nussbaum 1731

Isomer ratios in antimony and tellurium isotopes *I S Grant and M Rathle* 1741

Coulomb–nuclear interference in the (^{7}Li, ^{7}Li′) reactions
T P Morrison, G D Jones, L P Ekström, F Kearns, A Kogan, P R G Lornie, O M Mustaffa, H G Price, D N Simister, P J Twin and R Wadsworth 1751

A study of the neutron-deficient isotope ^{66}Ge
R Wadsworth, L P Ekström, G D Jones, F Kearns, T P Morrison, O M Mustaffa, H G Price, P J Twin and N J Ward 1761

SUBJECT INDEX, Volume 5 1775

AUTHOR INDEX (with titles), Volume 5 1789

Subject index

The 1979 Subject index is based on the ICSU/AB International Classification for Physics.

10.00 THE PHYSICS OF ELEMENTARY PARTICLES AND FIELDS

Hadronic and electromagnetic widths of mesons in the style schemes *K J Barnes, P H Dondi, P D Jarvis and I J Ketley* G649

11.00 GENERAL THEORY OF FIELDS AND PARTICLES

The evaluation of Feynman integrals in the physical region using multi-valued approximants *L Short* G167

11.10 Field Theory

Some aspects of the solutions of cylindrically symmetric Yang–Mills equations *W B Yeung* G457

A supersymmetric form of the Thirring model *B L Aneva and D T Stoyanov* G463

Uniqueness of the axial vector anomaly *A K Kapoor* G471

Proof of the Nambu–Goldstone realisation for vector-gluon–quark theories *R Delbourgo and M D Scadron* G1621

11.20 *S*-matrix theory

Time delay and correlation length of fluctuations in nuclear reactions *M Bauer and P A Mello* GL199

Non-convexity of unitary angular distributions and partial-wave ambiguities in the presence of error-affected data *W Langbein* G325

11.30 Symmetry and conservation laws

An orthogonal way: A synthesis for leptons and hadrons *K J Barnes, P D Jarvis and I J Ketley* G1

Weak hadronic and radiative decays of non-strange charmed baryons in SU(3) for the u, d and c quark sector *S Kanwar, R C Verma and M P Khanna* G219

A supersymmetric form of the Thirring model *B L Aneva and D T Stoyanov* G463

Uniqueness of the axial vector anomaly *A K Kapoor* G471

Screening of static colour charges in classical gauge theories *A T Gillespie* G619

Is there a new neutral current? *G G Ross and T Weiler* G733

Asymptotic SU(5) symmetry and spectral-function sum rules *V P Gautam, B Bagchi and A Nandy* G885

Weak hadronic decays of uncharmed baryons in SU(3)—dynamical considerations *R C Verma and M P Khanna* G1033

The ρ-exchange isovector parity-violating potential *B H J McKellar* G1313

Proof of the Nambu–Goldstone realisation for vector-gluon–quark theories *R Delbourgo and M D Scadron* G1621

11.40 Currents and their properties

Proof of the Nambu–Goldstone realisation for vector-gluon–quark theories *R Delbourgo and M D Scadron* G1621

11.50 Dispersion relations and sum rules

Determination of the pion–nucleon coupling constant *V K Samaranayake* G657

11.80 Relativistic scattering theory

Unitarity bounds on elastic absorptive amplitudes involving total cross sections, forward slope and curvature. II *A K Raina and V Singh* G1019

11.90 Other topics in general field and particle theory

Non-convexity of unitary angular distributions and partial-wave ambiguities in the presence of error-affected data *W Langbein* G325

Uniqueness of the axial vector anomaly *A K Kapoor* G471

12.00 SPECIFIC THEORIES AND INTERACTION MODELS; PARTICLE SYSTEMATICS

12.20 Electromagnetic and unified gauge fields

Quantum electrodynamics at short distances and the stability of the vacuum *B H Kellett* GL49

Two consistent calculations of the Weinberg angle *D B Fairlie* GL55

Moving scale dimension pole in quantum electrodynamics *A Khare and T Pradhan* G337

The gluon propagator *R Delbourgo* G603

Screening of static colour charges in classical gauge theories *A T Gillespie* G619

Is there a new neutral current? *G G Ross and T Weiler* G733

$SU(3) \times U(1)$ low-energy symmetry within the unifying $SU(4)_F \times SU(4)_C$ gauge group *S Rajpoot and M Singer* G871

Massless fermion representations in grand unified gauge theories *M T Vaughn* G1317

Proof of the Nambu–Goldstone realisation for vector-gluon–quark theories *R Delbourgo and M D Scadron* G1621
Production of light leptons in arbitrary beams via many-vector boson exchange *E Mahdavi-Hezaveh* G1633

12.30 Models for weak interactions
Flavour symmetry breaking and isovector parity-violating potentials *H Galić, B Guberina, I Picek and D Tadić* GL113
Flavour symmetry breaking and production processes in dual unitarisation *D K Ponting* G629

12.40 Models of strong interactions
Pi-ball configurations in high-energy multiparticle production *C Michael and D M Webber* GL1
Flavour symmetry breaking and isovector parity-violating potentials *H Galić, B Guberina, I Picek and D Tadić* GL113
Flavour and spin effects in the quark sea *M H McCall* GL117
An orthogonal way: A synthesis for leptons and hadrons *K J Barnes, P D Jarvis and I J Ketley* G1
Factorisation of Regge slopes for multi-quark hadrons *R Anderson and G C Joshi* G199
A simple analytic treatment of rescattering effects in the Deck model *M G Bowler* G203
The covariant nature of helicity conservation *A Bradley and F D Gault* G481
Hadronic and electromagnetic widths of mesons in the style schemes *K J Barnes, P H Dondi, P D Jarvis and I J Ketley* G649
Parton recombination model including resonance production *R G Roberts, R C Hwa and S Matsuda* G1043
Three-jet production in large-$p_\perp$ reactions *A Schiller* G1329
Reggeon exchange in the quark model *P D B Collins and A D M Wright* G1461
The pion structure function and scale breaking in Drell–Yan processes *R Moore* G1509

13.00 SPECIFIC REACTIONS AND PHENOMONOLOGY

13.10 Weak and electromagnetic interactions of leptons
Is there a new neutral current? *G G Ross and T Weiler* G733

13.15 Neutrino interactions
Fission antineutrino-induced reactions *S A Fayans, L A Mikaelyan and Yu L Dobrynin* G209
Is there a new neutral current? *G G Ross and T Weiler* G733

13.25 Hadronic decays of mesons
Lifetimes and branching fractions of mesons with heavy-quark constituents *V Barger, W F Long and S Pakvasa* GL147
Asymptotic SU(5) symmetry and spectral-function sum rules *V P Gautam, B Bagchi and A Nandy* G885

13.30 Decays of baryons
Weak hadronic and radiative decays of non-strange charmed baryons in SU(3) for the u, d and c quark sector *S Kanwar, R C Verma and M P Khanna* G219
Weak hadronic decays of uncharmed baryons in SU(3)—dynamical considerations *R C Verma and M P Khanna* G1033
Radiative weak decays of uncharmed hyperons *K Sharma, R C Verma and M P Khanna* G1519

13.40 Electromagnetic processes and properties of hadrons
Tensor meson production in photon–photon collisions *W N Cottingham and I H Dunbar* GL155
Electromagnetic potential between nucleons *D Kiang and Y Nogami* GL159
Hadronic and electromagnetic widths of mesons in the style schemes *K J Barnes, P H Dondi, P D Jarvis and I J Ketley* G649

13.60 Photon and charged-lepton interactions with hadrons
The multipole $E_{1+}^{(3/2)}$ of the photopion production on nucleons and its double zero at the resonance $\Delta(1232)$ *A Jurewicz* G487
Parton recombination model including resonance production *R G Roberts, R C Hwa and S Matsuda* G1043
Proton–proton total cross section at cosmic ray energies *S C Tonwar* GL193
Photoproduction of charged pions on neutrons *G Ramachandran, R S Keshavamurthy and M V N Murthy* G1525
On the mesonic-exchange currents in the photomesic reactions *C Lazard, Z Marić and Dj Živanović* G1549

13.65 Hadron production by electron–positron collisions
An orthogonal way: A synthesis for leptons and hadrons *K J Barnes, P D Jarvis and I J Ketley* G1

13.75 Hadron-induced low- and intermediate-energy reactions and scattering, energy $\leqslant$ 10 GeV
What do the baryonium data tell us about the nucleon–antinucleon potential? *A Khare and J Maharana* GL87
On the elastic pd and quasifree A(p, Nd)B scattering at intermediate energies *L Végh* GL121
Coulomb effects in inelastic pion–nucleus scattering *J-F Germond and C Wilkin* GL127
Compression phenomena and Mach shock waves in fast nucleus–nucleus collisions *H G Baumgardt and E Schopper* GL231

Theoretical search for a π^-nn stable bound state *G Kalbermann and J M Eisenberg* G35
Medium-energy pion scattering and the α-cluster description of ^{12}C *N Bano and I Ahmad* G39
Finite-range effects in the πNN, $\pi N\Delta$ and $\pi\Delta\Delta$ vertices *M Dillig and M Brack* G223
The multipole $E_{1+}^{(3/2)}$ of the photopion production on nucleons and its double zero at the resonance $\Delta(1232)$ *A Jurewicz* G487
On the structure of the πd amplitude near the ΔN threshold *Yu A Simonov and M van der Velde* G493
The imaginary components of $T=1$ nucleon–nucleon phase-shifts and their effect on spin-dependent inelastic cross sections *A M Green and M E Sainio* G503
Determination of the pion–nucleon coupling constant *V K Samaranayake* G657
Models for the non-static NΔ interaction *E Kapon, E Piasetzky and J M Eisenberg* G893
A theoretical investigation of the bound states and resonances in the NΔ system *V B Belyaev, K Möller and Yu A Simonov* G1057
Interpretation of the spin structure in nucleon–nucleon scattering *P Kroll, E Leader and W von Schlippe* G1179
$\Delta\sigma_L$(NN) between 400 and 600 MeV *D V Bugg* G1349
The pion structure function and scale breaking in Drell–Yan processes *R Moore* G1509
Photoproduction of charged pions on neutrons *G Ramachandran, R S Keshavamurthy and M V N Murthy* G1525

13.85 Hadron-induced high- and super-high-energy interactions (energy > 10 GeV)

Pi-ball configurations in high-energy multiparticle production *C Michael and D M Webber* GL1
Compression phenomena and Mach shock waves in fast nucleus–nucleus collisions *H G Baumgardt and E Schopper* GL231
The density spectrum of cosmic-ray air showers at very high densities *C B A McCusker and M M Winn* G159
High-energy nuclear collisions: Evolution of the compressed zone *K K Gudima, H Iwe and V D Toneev* G229
Unitarity bounds on elastic absorptive amplitudes involving total cross sections, forward slope and curvature. II *A K Raina and V Singh* G1019

14.00 PROPERTIES OF SPECIFIC PARTICLES AND RESONANCES

14.20 Baryons and baryon resonances

Isospin et baryonium *J-M Richard* GL141
An orthogonal way: A synthesis for leptons and hadrons *K J Barnes, P D Jarvis and I J Ketley* G1
Weak hadronic decays of uncharmed baryons in SU(3)—dynamical considerations *R C Verma and M P Khanna* G1033

14.40 Mesons and meson resonances

Lifetimes and branching fractions of mesons with heavy-quark constituents *V Barger, W F Long and S Pakvasa* GL147
An orthogonal way: A synthesis for leptons and hadrons *K J Barnes, P D Jarvis and I J Ketley* G1
Hadronic and electromagnetic widths of mesons in the style schemes *K J Barnes, P H Dondi, P D Jarvis and I J Ketley* G649
Parton recombination model including resonance production *R G Roberts, R C Hwa and S Matsuda* G1043

14.60 Leptons

An orthogonal way: A synthesis for leptons and hadrons *K J Barnes, P D Jarvis and I J Ketley* G1
Production of light leptons in arbitrary beams via many-vector boson exchange *E Mahdavi-Hezaveh* G1633

14.80 Other and hypothetical particles

Search for tachyons in extensive air showers *P N Bhat, N V Gopalakrishnan, S K Gupta and S C Tonwar* GL13

20.00 NUCLEAR PHYSICS

21.00 NUCLEAR STRUCTURE

21.10 General and average properties of nuclei; properties of nuclear energy levels

4p and 6p–2h states in ^{20}O *S LaFrance, H T Fortune, S Mordechai and R Middleton* GL59
Effect of number conservation on energy spectra of $^{158,160}Er$ *M R Gunye and C S Warke* GL83
Are the E1 transitions from octupole vibrational states collective or particle transitions? *L K Peker and J H Hamilton* GL165
Pseudomagic nuclei *G Scharff-Goldhaber* GL207
Weak-coupling approximation for the spectroscopy of medium-mass and heavy nuclei. I: The structure of Mo isotopes *A Kumar and R K Bansal* G265
Positive-parity alpha clusters in ^{19}F *H T Fortune* G381
Decay scheme of excited states in ^{67}Ge *A M Al-Naser, A H Behbehani, P A Butler, L L Green, A N James, C J Lister, P J Nolan, N R F Rammo, J F Sharpey-Schafer, H M Sheppard, L H Zybert and R Zybert* G423

Study of ^{153}Eu levels via the (p, 2nγ) reaction *G Lo Bianco, N Molho, A Moroni, S Angius, N Blasi and A Ferrero* G697
Gamma-ray spectroscopy on ^{48}Cr *L P Ekström, G D Jones, F Kearns, T P Morrison, O M Mustaffa, D N Simister, H G Price, P J Twin, R Wadsworth and N J Ward* G803
Microscopic theory of nuclear collective rotation. III: Test of the SDHFB and the HFBP method in an exactly solvable realistic model *H Herold, M Reinecke and H Ruder* G907
The ^{130}Te (p, α)^{127}Sb reaction and the role of the collective neutron excitations *P Debenham, W R Falk, O Abou-Zeid and N E Davison* G981
Band mixing in doubly-even nuclei at the beginning of the rare-earth region *A Covello and G Giberti* G989
A comprehensive study of the γ-ray spectroscopy of ^{43}Ca *A H Behbehani, A M Al-Naser, A J Brown, L L Green, A N James, C J Lister, N R F Rammo, J F Sharpey-Schafer, L H Zybert, R Zybert and P J Nolan* G1117
Directional correlations of gamma transitions in ^{105}Rh *R N Saxena, V A P Esteves and F C Zawislak* G1169
Fragmented $g_{9/2}$ isobaric analogue resonances in the ^{52}Cr(p, γ)^{53}Mn reaction *I Fodor, J Sziklai, P Kleinwächter, H Schobbert and F Herrmann* G1267
Gamma-ray spectroscopy in ^{63}Zn and ^{63}Cu *O M Mustaffa, L P Ekström, G D Jones, F Kearns, T P Morrison, H G Price, D N Simister, P J Twin, R Wadsworth and N J Ward* G1283
Parameters of the deformed Woods–Saxon potential outside $A = 110$–210 nuclei *J Dudek, A Majhofer, J Skalski, T Werner, S Ćwiok and W Nazarewicz* G1359
The decay of 2·8 min ^{145}Ce and 2·3 min ^{148}Pr *H W Taylor and B Singh* G1445
Spectroscopic investigation of decaying states *I Rotter* G1575
The properties of low-lying levels of ^{129}Xe and ^{131}Xe *A D Irving, P D Forsyth, I Hall and D G E Martin* G1595
Isomer ratios in antimony and tellurium isotopes *I S Grant and M Rathle* G1741
A study of the neutron deficient isotope ^{66}Ge *R Wadsworth, L P Ekström, G D Jones, F Kearns, T P Morrison, O M Mustaffa, H G Price, P J Twin and N J Ward* G1761

21.10D Binding energies and masses

Correlations between (n, γ) and (d, p) reactions on ^{144}Sm *D D Warner, W F Davidson and W Gelletly* G1723

21.10F Shape, charge and radius

Deformation of the neutron excess and (p, n) scattering *R G Lovas* GL175
Shell effects in the RMS radii of the nuclear charge distributions determined by electron scattering *D Nir* G53
The difference in nuclear charge radius between ^{110,112,114,116}Cd *C W E van Eijk, J Wijnhorst, M A Popelier and W A Gillespie* G315
Self-consistent study of the surface thickness of nuclear densities and single-particle potentials *F Tondeur* G1189
Proton and neutron density distributions for $A = 16$–58 nuclei *B A Brown, S E Massen and P E Hodgson* G1655

21.10H Spin, parity and isobaric spin

The onset of deformation in the neutron-rich Ba isotopes *S M Scott, D D Warner, W D Hamilton, P Hungerford, G Jung, K D Wünsch and B Pfeiffer* GL187
Is there evidence for rotation along the axis of symmetry in transitional nuclei? *L K Peker and J H Hamilton* GL203
Experimental evidence for low-lying intruder states in ^{54}Mn *M Toulemonde, F A Beck, C Gehringer, B Haas, J C Merdinger, N Schulz and J P Vivien* G819
The level structure of ^{78}Br *B M Kluger-Bell, R E Anderson, R J Peterson, D E Prull, R A Ristinen and B L Smith* G827
High-spin states in ^{43}K *A H Behbehani, A M Al-Naser, L L Green, A N James, C J Lister, N R F Rammo, J F Sharpey-Schafer, H M Sheppard and P J Nolan* G971
Positive-parity states of ^{85}Kr *S Bhattacharya and S K Basu* G1163
High-spin states in ^{23}Na obtained by approximate microscopic methods compared with shell-model calculations *F Brut, N Mankoč-Borštnik and S Jang* G1249
On positive-parity states of ^{45}Sc, ^{47}Sc and ^{49}Sc *P Doll, G Mairle, H Breur, K T Knöpfle, T Tohei and G J Wagner* G1421
A study of the neutron-deficient isotope ^{66}Ge *R Wadsworth, L P Ekström, G D Jones, F Kearns, T P Morrison, O M Mustaffa, H G Price, P J Twin and N J Ward* G1761

21.10J Spectroscopic factors

Calculation of energy spectra in $N = 28$ nuclei *D S Chuu, C S Han, M C Wang and S T Hsieh* G59
Microscopic models of the 2^+_1 and 3^+_1 states in ^{24}Mg and ^{28}Si and their test by inelastic scattering analyses *P Nesci, I Morrison and K Amos* G387
Alpha-structure amplitudes for nuclei in the lower half of the sd shell *M Conze and P Manakos* G671
The level structure of ^{78}Br *B M Kluger-Bell, R E Anderson, R J Peterson, D E Prull, R A Ristinen and B L Smith* G827

On positive-parity states of ^{45}Sc, ^{47}Sc and ^{49}Sc *P Doll, G Mairle, H Breuer, K T Knöpfle, T Tohei and G J Wagner* G1421

21.10K Electromagnetic moments

Virtual photon intensity and finite nuclear size effects *A C Shotter* G371

Microscopic models of the 2_1^+ and 3_1^- states in ^{24}Mg and ^{28}Si and their test by inelastic scattering analyses *P Nesci, I Morrison and K Amos* G387

Positive-parity states of ^{85}Kr *S Bhattacharya and S K Basu* G1163

The sign change in E2 : M1 multipole mixing ratios in the mass-150 region *W D Hamilton and K Kumar* G1567

21.10M Level density and structure

A method of exact calculation of fixed-J configuration centroids *C Jacquemin and S Spitz* GL95

Is there evidence for rotation along the axis of symmetry in transitional nuclei? *L K Peker and J H Hamilton* GL203

Positive-parity states of ^{85}Kr *S Bhattacharya and S K Basu* G1163

21.30 Nuclear forces

Flavour symmetry breaking and isovector parity-violating potentials *H Galić, B Guberina, I Picek and D Tadić* GL113

Electromagnetic potential between nucleons *D Kiang and Y Nogami* GL159

Coulomb energy anomaly and charge-dependent nuclear forces *B Kämpfer and I Rotter* G747

Models for the non-static NΔ interaction *E Kapon, E Piasetzky and J M Eisenberg* G893

On the charge-asymmetric term in the nuclear binding energies of heavy nuclei *P Haensel* G1071

Energy per particle, effective mass and magnetic susceptibility in neutron matter *B Behera and R K Satpathy* G1085

Polarisation measurements in elastic electron–deuteron scattering and the percentage D state of the deuteron *L J Allen and H Fiedeldey* G1555

21.40 Few-nucleon systems

Path-integral approach to time-dependent self-consistent field theories *H Reinhardt* GL91

Electromagnetic potential between nucleons *D Kiang and Y Nogami* GL159

Theoretical search for a π^-nn stable bound state *G Kalbermann and J M Eisenberg* G35

The imaginary components of $T=1$ nucleon–nucleon phase-shifts and their effect on spin-dependent inelastic cross sections *A M Green and M E Sainio* G503

Analytic form for the off-shell p–p T matrix for the Graz separable interaction *R J W Hodgson* G555

21.60 Nuclear-structure models and methods

LOCV calculations and the three-body cluster energy in nuclear matter *M Modarres and J M Irvine* GL7

Three-quasiparticle isomers and rotational bands in ^{171}Hf and ^{173}Hf *G D Dracoulis, P M Walker and K F Yee* GL19

The microscopic spin–orbit potential for light ions *M D Cohler, R J Griffiths, N M Clarke and J S Hanspal* GL43

A possible semimicroscopic mechanism to generate two 0^+ bands and their band mixing: ^{110}Cd as an example *V Paar and R A Meyer* GL75

Description of the substructure in the radiative strength function of ^{117}Sn and ^{119}Sn *C Z Khuong, V G Soloviev and V V Voronov* GL79

Effect of number conservation on energy spectra of ^{158,160}Er *M R Gunye and C S Warke* GL83

A method of exact calculation of fixed-J configuration centroids *C Jacquemin and S Spitz* GL95

The magnetic susceptibility of neutron matter *M Modarres and J M Irvine* GL133

Are the E1 transitions from octupole vibrational states collective or particle transitions? *L K Peker and J H Hamilton* GL165

Pseudomagic nuclei *G Scharff-Goldhaber* GL207

A Fano effect in photonuclear reactions? *R Rosenfelder and J Husain* GL217

On the distribution of the angular momentum coefficients *N Ullah* G67

Weak-coupling approximation for the spectroscopy of medium-mass and heavy nuclei. I: The structure of Mo isotopes *A Kumar and R K Bansal* G265

Microscopic theory of nuclear collective rotation. I: General description of rotations *H Herold and H Ruder* G341

Microscopic theory of nuclear collective rotation. II: Microscopic description of deformed nuclei *H Herold* G351

Virtual photon intensity and finite nuclear size effects *A C Shotter* G371

Positive-parity alpha clusters in ^{19}F *H T Fortune* G381

LOCV calculations with a self-consistent treatment of isobars *M Modarres and J M Irvine* G511

A Thomas–Fermi study of rapidly rotating nuclei *L Münchow and H Schulz* G527

On structures in the energy dependence of nuclear reaction cross sections *I Rotter* G685

Neutron-induced fission of lead isotopes *T Czyzewski, J Dudek, M Sowiński and J Tys* G1001

On the charge-asymmetric term in the nuclear binding energies of heavy nuclei *P Haensel* G1071
Energy per particle, effective mass and magnetic susceptibility in neutron matter *B Behera and R K Satpathy* G1085
Positive-parity states of ^{85}Kr *S Bhattacharya and S K Basu* G1163
Parameters of the deformed Woods–Saxon potential outside $A = 110$–210 nuclei *J Dudek, A Majhofer, J Skalski, T Werner, S Cwiok and W Nazarewicz* G1359
The sign change in E2 : M1 multipole mixing ratios in the mass-150 region *W D Hamilton and K Kumar* G1567

21.60C Shell model

Calculation of energy spectra in $N = 28$ nuclei *D S Chuu, C S Han, M C Wang and S T Hsieh* G59
On isospin-forbidden transitions *I Rotter* G75
On the study of hole states by the continuum shell-model formalism *A Famery* G241
External mixing of resonance states *I Rotter* G251
Microscopic models of the 2^+_1 and 3^+_1 states in ^{24}Mg and ^{28}Si and their test by inelastic scattering analyses *P Nesci, I Morrison and K Amos* G387
Alpha-structure amplitudes for nuclei in the lower half of the sd shell *M Conze and P Manakos* G671
Coulomb energy anomaly and charge-dependent nuclear forces *B Kämpfer and I Rotter* G747
Microscopic theory of nuclear collective rotation. III: Test of the SDHFB and the HFBP method in an exactly solvable realistic model *H Herold, M Reinecke and H Ruder* G907
A comprehensive study of the γ-ray spectroscopy of ^{43}Ca *A H Behbehani, A M Al-Naser, A J Brown, L L Green, A N James, C J Lister, N R F Rammo, J F Sharpey-Schafer, L H Zybert, R Zybert and P J Nolan* G1117
High-spin states in ^{23}Na obtained by approximate microscopic methods compared with shell-model calculations *F Brut, N Mankoč-Borštnik and S Jang* G1249
Gamma-ray spectroscopy in ^{63}Zn and ^{63}Cu *O M Mustaffa, L P Ekström, G D Jones, F Kearns, T P Morrison, H G Price, D N Simister, P J Twin, R Wadsworth and N J Ward* G1283
Spectroscopic investigation of decaying states *I Rotter* G1575
On a comparison between Lanczos and Householder methods *J Sau and K Heyde* G1643

21.60E Collective models

Path-integral approach to time-dependent self-consistent field theories *H Reinhardt* GL91
Derivation of the nuclear one-body dissipation formula from the Boltzmann equation *R W Hasse* GL101
Microscopic models of the 2^+_1 and 3^+_1 states in ^{24}Mg and ^{28}Si and their test by inelastic scattering analyses *P Nesci, I Morrison and K Amos* G387
Microscopic theory of nuclear collective rotation. III: Test of the SDHFB and the HFBP method in an exactly solvable realistic model *H Herold, M Reinecke and H Ruder* G907
Band mixing in doubly-even nuclei at the beginning of the rare-earth region *A Covello and G Giberti* G989
Deformation energies for nuclei with different charge-to-mass ratio *D N Poenaru, D Mazilu and M Ivaşcu* G1093
High-spin states in ^{23}Na obtained by approximate microscopic methods compared with shell-model calculations *F Brut, N Mankoč-Borštnik and S Jang* G1249
A simplified generator coordinate treatment with analytical projected-BCS solutions for isovector pairing collective motions *M Kyotoku and H-T Chen* G1649

21.60G Cluster models

A semiempirical prediction of resonances in heavy-ion reactions for s–d shell nuclei *D Počanić and N Cindro* GL25
The dσ(p, pd)/dσ(p, nd) ratio for ^{7}Li at $T_p = 670$ MeV calculated in a simple model *L Végh and J Erő* GL227
The spin and parity of the 10·9 MeV resonance in ^{16}O + ^{12}C *N Cindro, G Vourvopoulos, X Aslanoglou, G Andritsopoulos, P Assimakopoulos and B Bakoyorgos* G309

21.60J Hartree–Fock and random-phase approximations

Path-integral approach to time-dependent self-consistent field theories *H Reinhardt* GL91
TDHF calculations for nuclear collisions: model studies of alpha–alpha scattering *K R Sandhya Devi, M R Strayer and J M Irvine* G281
Microscopic theory of nuclear collective rotation. III: Test of the SDHFB and the HFBP method in an exactly solvable realistic model *H Herold, M Reinecke and H Ruder* G907
High-spin states in ^{23}Na obtained by approximate microscopic methods compared with shell-model calculations *F Brut, N Mankoč-Borštnik and S Jang* G1249

21.65 Nuclear matter

LOCV calculations and the three-body cluster energy in nuclear matter *M Modarres and J M Irvine* GL7
The signature for a high-density isomeric state formed in a relativistic heavy-ion collision *J M Irvine* GL143

Compression phenomena and Mach shock waves in fast nucleus–nucleus collisions *H G Baumgardt and E Schopper* GL231
The single-particle potential, symmetry coefficient and effective mass in nuclear matter *B Behera and R K Satpathy* G85
LOCV calculations with a self-consistent treatment of isobars *M Modarres and J M Irvine* G511
A Thomas–Fermi study of rapidly rotating nuclei *L Münchow and H Schulz* G527
Comparison of reaction matrices for free scattering and nuclear matter *M Dey, B C Samanta and J Dey* G757
Energy per particle, effective mass and magnetic susceptibility in neutron matter *B Behera and R K Satpathy* G1085
Equation of state for hot nuclear matter *U Heinz, W Greiner and W Scheid* G1383
A mechanism for forming highly dense nuclear matter in relativistic nucleus–nucleus collisions *H Iwe* G1405
Proton and neutron density distributions for $A = 16$–58 nuclei *B A Brown, S E Massen and P E Hodgson* G1655

21.80 Hypernuclei

Analysis of p-shell hypernuclei with effective lambda–nucleon potentials *F Mujib, M Shoeb, Q N Usmani and M Z R Khan* G541

23.00 NUCLEAR DECAY AND RADIOACTIVITY

23.20 Electromagnetic transitions

Three-quasiparticle isomers and rotational bands in ^{171}Hf and ^{173}Hf *G D Dracoulis, P M Walker and K F Yee* GL19
The onset of deformation in the neutron-rich Ba isotopes *S M Scott, D D Warner, W D Hamilton, P Hungerford, G Jung, K D Wünsch and B Pfeiffer* GL187
Weak-coupling approximation for the spectroscopy of medium-mass and heavy nuclei. I: The structure of Mo isotopes *A Kumar and R K Bansal* G265
Decay scheme of excited states in ^{67}Ge *A M Al-Naser, A H Behbehani, P A Butler, L L Green, A N James, C J Lister, P J Nolan, N R F Rammo, J F Sharpey-Schafer, H M Sheppard, L H Zybert and R Zybert* G423
Gamma-ray spectroscopy on ^{48}Cr *L P Ekström, G D Jones, F Kearns, T P Morrison, O M Mustaffa, D N Simister, H G Price, P J Twin, R Wadsworth and N J Ward* G803
Experimental evidence for low-lying intruder states in ^{54}Mn *M Toulemonde, F A Beck, C Gehringer, B Haas, J C Merdinger, N Schulz and J P Vivien* G819
Directional correlations of gamma transitions in ^{105}Rh *R N Saxena, V A P Esteves and F C Zawislak* G1169
Electron capture to positron emission ratios in the allowed decay of ^{89}Zr *A D Baillie, K W D Ledingham, J G Lynch and M Campbell* G1433
The properties of low-lying levels of ^{129}Xe and ^{131}Xe *A D Irving, P D Forsyth, I Hall and D G E Martin* G1595

23.20C Lifetimes and transition probabilities

Lifetimes of excited states in ^{54}Mn and ^{53}Cr *D C Radford and A R Poletti* G409
Precision Doppler-shift attenuation lifetime measurements in ^{28}Si and ^{31}P *A R Poletti, L K Fifield, J Asher and B E Cooke* G575
Mean lifetimes of ^{85}Sr levels *S K Basu, A P Patro, S Brant and V Paar* G585
High-spin states in ^{43}K *A H Behbehani, A M Al-Naser, L L Green, A N James, C J Lister, N R F Rammo, J F Sharpey-Schafer, H M Sheppard and P J Nolan* G971
The decay of 2·8 min ^{145}Ce and 2·3 min ^{148}Pr *H W Taylor and B Singh* G1445
A study of the neutron-deficient isotope ^{66}Ge *R Wadsworth, L P Ekström, G D Jones, F Kearns, T P Morrison, O M Mustaffa, H G Price, P J Twin and N J Ward* G1761

23.20N Internal conversion and extranuclear effects

Gamma–gamma coincidences and electron conversion measurement in ^{141}La *A N Proto, D Otero and E Achterberg* G121

23.40 Beta decay and electron and muon capture

Investigations of the hard beta radiation from ^{252}Cf fission *A A Borovoy, Yu V Klimov, V I Kopeykin and K D Shkolnik* G723
On the deformation parameter of ^{66}Ga *C T Yap and E L Saw* G1157
Electron capture to positron emission ratios in the allowed decay of ^{89}Zr *A D Baillie, K W D Ledingham, J G Lynch and M Campbell* G1433

23.60 Alpha decay

Alpha decay as a fission-like process *D N Poenaru, M Ivaşcu and A Săndulescu* GL169
A search for high-energy alpha particles from superheavy elements *H J Rose and D Sinclair* G781

23.90 Other topics in nuclear decay and radioactivity

A search for high-energy alpha particles from superheavy elements *H J Rose and D Sinclair* G781

24.00 NUCLEAR REACTIONS AND SCATTERING: GENERAL

24.10 Nuclear reaction and scattering models and methods

Two-step processes and their energy dependence in the ^{24}Mg(p, d)^{23}Mg reaction *N M Clarke* GL33

On the elastic pd and quasifree A(p, Nd)B scattering at intermediate energies *L Végh* GL121

Angular momentum dissipation in DIC within a classical friction model *R Schmidt and R Reif* GL181

Coulomb–nuclear interference and reaction cross-section in charged particle scattering *G Bendiscioli* GL213

The dσ(p, pd)/dσ(p, nd) ratio for ^{7}Li at T_p=670 MeV calculated in a simple model *L Végh and J Erö* GL227

TDHF calculations for nuclear collisions: model studies of alpha–alpha scattering *K R Sandhya Devi, M R Strayer and J M Irvine* G281

On Humblet's modified *K* matrix *R Huby* G295

Microscopic models of the 2^+_1 and 3^+_1 states in ^{24}Mg and ^{28}Si and their test by inelastic scattering analyses *P Nesci, I Morrison and K Amos* G387

The imaginary components of $T=1$ nucleon–nucleon phase-shifts and their effect on spin-dependent inelastic cross sections *A M Green and M E Sainio* G503

Analytic form for the off-shell p–p *T* matrix for the Graz separable interaction *R J W Hodgson* G555

On the impulse approximation for the (p, 2p) reaction *B K Jain* G663

Comparison of reaction matrices for free scattering and nuclear matter *M Dey, B C Samanta and J Dey* G757

The transfer amplitude and angular distributions in heavy-ion reactions *H Hasan and D M Brink* G771

On some aspects of Coulomb excitation of nuclear rotational states *H Massmann and H Robotham* G915

The use of Coulomb wavefunctions in momentum space for two-particle scattering *K Dreissigacker, H Pöpping, P U Sauer and H Walliser* G1199

Matrix elements for scattering and two-nucleon transfer operators derived from dynamic deformation theory wavefunctions *J S Vaagen and K Kumar* G1211

Proton and neutron density distributions for $A=16$–58 nuclei *B A Brown, S E Massen and P E Hodgson* G1655

Quasifree knock-out of proton pairs in the reaction C(p, 3p) at 640 MeV *V I Komarov, G E Kosarev, H Muller, D Netzband, T Stiehler and S Tesch* G1717

Elastic and inelastic scattering of alpha particles from ^{6}Li at 59 MeV *F Foroughi, E Bovet and Ch Nussbaum* G1731

24.10H Optical and diffraction models

The microscopic spin–orbit potential for light ions *M D Cohler, R J Griffiths, N M Clarke and J S Hanspal* GL43

Ambiguities in the ^{3}He spin–orbit potential for ^{32}S *J Barnwell, M D Cohler, N M Clarke, R J Griffiths, J S Hanspal, O Karban and S Roman* GL69

Deformation of the neutron excess and (p, n) scattering *R G Lovas* GL175

The phenomenology of proton elastic scattering and evidence for angular-momentum-dependent optical-model potentials *A M Kobos and R S Mackintosh* G97

The physical interpretation of angular-momentum-dependent optical potentials *R S Mackintosh and A M Kobos* G359

Yield measurements in the reactions ^{48}Ca(p, γ)^{49}Sc and ^{48}Ca(p, n)^{48}Sc *S R Kennett, Z E Switkowski, B M Paine and D G Sargood* G399

Low-energy behaviour of the proton optical potential of Sn *B Gyarmati, T Vertse, L Zolnai, A I Baryshnikov, A F Gurbich, N N Titarenko and E L Yadrovsky* G1225

Effects of coupled reaction channels on polarisation in ^{3}He scattering *N M Clarke, M D Cohler and R J Griffiths* G1233

Proposed new approach to an empirical optical model *R S Mackintosh* G1587

Energy dependence of the optical potential for proton scattering from light nuclei *I Abdul-Jalil and D F Jackson* G1699

Elastic and inelastic scattering of alpha particles from ^{6}Li at 59 MeV *F Foroughi, E Bovet and Ch Nussbaum* G1731

Coulomb–nuclear interference in the (^{7}Li, ^{7}Li′) reactions *T P Morrison, G D Jones, L P Ekström, F Kearns, A Kogan, P R G Lornie, O'Mustaffa, H G Price, D N Simister, P J Twin and R Wadsworth* G1751

24.30 Resonance reactions and scattering

Comparison of entrance, exit and reaction channel data at backward angles for ^{28}Si(^{12}C, ^{16}O)^{24}Mg *M R Clover, B R Fulton, R Ost and R M DeVries* GL63

M2 giant resonances in light nuclei *G E Dogotar, R A Eramzhyan, M Gmitro, H R Kissener and E Tinkova* GL221

The spin and parity of the 10·9 MeV resonance in ^{16}O + ^{12}C *N Cindro, G Vourvopoulos, X Aslanoglou, G Andritsopoulos, P Assimakopoulos and B Bakoyorgos* G309

On the structure of the πd amplitude near the ΔN threshold *Yu A Simonov and M van der Velde* G493
On structures in the energy dependence of nuclear reaction cross sections *I Rotter* G685
Experimental study of resonance line-shapes in $^{12}C(\tau, d)$ stripping into the continuum *H Fuchs, T S Bhatia, P Doll, H Hafner and G J Wagner* G797
Fragmented $g_{9/2}$ isobaric analogue resonances in the $^{52}Cr(p, \gamma)^{53}Mn$ reaction *I Fodor, J Sziklai, P Kleinwächter, H Schobbert and F Herrmann* G1267

24.50 Direct reactions and scattering
Coulomb–nuclear interference and reaction cross-section in charged particle scattering *G Bendiscioli* GL213
The physical interpretation of angular-momemtum-dependent optical potentials *R S Mackintosh and A M Kobos* G359
The transfer amplitude and angular distributions in heavy-ion reactions *H Hasan and D M Brink* G771
Experimental study of resonance line-shapes in $^{12}C(\tau, d)$ stripping into the continuum *H Fuchs, T S Bhatia, P Doll, H Hafner and G J Wagner* G797
Empirical continuation of the differential cross section *I Borbély* G937
The $^{130}Te(p, \alpha)^{127}Sb$ reaction and the role of the collective neutron excitations *P Debenham, W R Falk, O Abou-Zeid and N E Davison* G981
Correlations between (n, γ) and (d, p) reactions on ^{144}Sm *D D Warner, W F Davidson and W Gelletly* G1723
Elastic and inelastic scattering of alpha particles from ^{6}Li at 59 MeV *F Foroughi, E Bovet and Ch Nussbaum* G1731

24.60 Statistical theory and fluctuations
Time delay and correlation length of fluctuations in nuclear reactions *M Bauer and P A Mello* GL199
Yield measurements in the reactions $^{48}Ca(p, \gamma)^{49}Sc$ and $^{48}Ca(p, n)^{48}Sc$ *S R Kennett, Z E Switkowski, B M Paine and D G Sargood* G399
The pre-equilibrium contribution to the (n,2n) reactions of ^{232}Th and ^{238}U *H Karius, A Ackermann and W Scobel* G715

24.70 Polarisation in reactions and scattering
A Fano effect in photonuclear reactions? *R Rosenfelder and J Husain* GL217
Effects of coupled reaction channels on polarisation in ^{3}He scattering *N M Clarke, M D Cohler and R J Griffiths* G1233

25.00 NUCLEAR REACTIONS AND SCATTERING: SPECIFIC REACTIONS
25.10 Nuclear reactions and scattering involving few-nucleon systems
The imaginary components of $T = 1$ nucleon–nucleon phase-shifts and their effect on spin-dependent inelastic cross sections *A M Green and M E Sainio* G503
Analytic form for the off-shell p–p T matrix for the Graz separable interaction *R J W Hodgson* G555
Elastic and inelastic scattering of alpha particles from ^{6}Li at 59 MeV *F Foroughi, E Bovet and Ch Nussbaum* G1731

25.20 Photonuclear reactions and photon scattering
A Fano effect in photonuclear reactions? *R Rosenfelder and J Husain* GL217
Virtual photon intensity and finite nuclear size effects *A C Shotter* G371
The $^{238}U(\gamma, \alpha)$ and $^{238}U(n, an')$ reactions—have they really been observed? *E W Lees, B H Patrick and S Lindley* G1307
On the mesonic-exchange currents in the photomesic reactions *C Lazard, Z Marić and Dj Živanović* G1549

25.30 Lepton-induced reactions and scattering
M2 giant resonances in light nuclei *G E Dogotar, R A Eramzhyan, M Gmitro, H R Kissener and E Tinkova* GL221
Virtual photon intensity and finite nuclear size effects *A C Shotter* G371

25.40 Nucleon-induced reactions and scattering
Two-step processes and their energy dependence in the $^{24}Mg(p, d)^{23}Mg$ reaction *N M Clarke* GL33
Deformation of the neutron excess and (p, n) scattering *R G Lovas* GL175
The $d\sigma(p, pd)/d\sigma(p, nd)$ ratio for ^{7}Li at $T_p = 670$ MeV calculated in a simple model *L Végh and J Erő* GL227
The physical interpretation of angular-momentum-dependent optical potentials *R S Mackintosh and A M Kobos* G359
Yield measurements in the reactions $^{48}Ca(p, \gamma)^{49}Sc$ and $^{48}Ca(p, n)^{48}Sc$ *S R Kennett, Z E Switkowski, B M Paine and D G Sargood* G399
Mean lifetimes of ^{85}Sr levels *S K Basu, A P Patro, S Brant and V Paar* G585
On the impulse approximation for the (p, 2p) reaction *B K Jain* G663
Study of ^{151}Eu levels via the (p, 2nγ) reaction *G Lo Bianco, N Molho, A Moroni, S Angius, N Blasi and A Ferrero* G697
The pre-equilibrium contribution to the (n, 2n) reactions of ^{232}Th and ^{238}U *H Karius, A Ackermann and W Scobel* G715

The level structure of ^{78}Br *B M Kluger-Bell, R E Anderson, R J Peterson, D E Prull, R A Ristinen and B L Smith* G827

The (n, 2n) cross sections of ^{85}Rb, ^{107}Ag and ^{181}Ta at 14·6 MeV *S C Misra and U C Gupta* G855

The ^{130}Te(p, α)^{127}Sb reaction and the role of the collective neutron excitations *P Debenham, W R Falk, O Abou-Zeid and N E Davison* G981

Low-energy behaviour of the proton optical potential of Sn *B Gyarmati, T Vertse, L Zolnai, A I Baryshnikov, A F Gurbich, N N Titarenko and E L Yadrovsky* G1225

Cross sections for the ^{42}Ca(p, γ)^{43}Sc, ^{42}Ca(α, n)^{45}Ti and ^{44}Ca(p, n)^{44}Sc reactions *C W Cheng and J D King* G1261

Fragmented $g_{9/2}$ isobaric analogue resonances in the ^{52}Cr(p, γ)^{53}Mn reaction *I Fodor, J Sziklai, P Kleinwächter, H Schobbert and F Herrmann* G1267

The ^{238}U(γ, α) and ^{238}U(n, αn') reactions—have they really been observed? *E W Lees, B H Patrick and S Lindley* G1307

Energy dependence of the optical potential for proton scattering from light nuclei *I Abdul-Jalil and D F Jackson* G1699

Quasifree knock-out of proton pairs in the reaction C(p, 3p) at 640 MeV *V I Komarov, G E Kosarev, H Muller, D Netzband, T Stiehler and S Tesch* G1717

25.50 ^{2}H- and ^{3}H- induced reactions and scattering

Inelastic scattering of 14·8 MeV neutrons from deuterons *K Gul, A Waheed, M Ahmad, M Saleem and N A Khan* G1107

Positive-parity states of ^{85}Kr *S Bhattacharya and S K Basu* G1163

On positive-parity states of ^{45}Sc, ^{47}Sc and ^{49}Sc *P Doll, G Mairle, H Breuer, K T Knöpfle, T Tohei and G J Wagner* G1421

25.60 ^{3}He- and ^{4}He-induced reactions and scattering

4p and 6p–2h states in ^{20}O *S LaFrance, H T Fortune, S Mordechai and R Middleton* GL59

Compression phenomena and Mach shock waves in fast nucleus–nucleus collisions *H G Baumgardt and E Schopper* GL231

TDHF calculations for nuclear collisions: model studies of alpha–alpha scattering *K R Sandhya Devi, M R Strayer and J M Irvine* G281

Lifetimes of excited states in ^{54}Mn and ^{53}Cr *D C Radford and A R Poletti* G409

Decay scheme of excited states in ^{67}Ge *A M Al-Naser, A H Behbehani, P A Butler, L L Green, A N James, C J Lister, P J Nolan, N R F Rammo, J F Sharpey-Schafer, H M Sheppard, L H Zybert and R Zybert* G423

Alpha-structure amplitudes for nuclei in the lower half of the sd shell *M Conze and P Manakos* G671

Experimental evidence for low-lying intruder states in ^{54}Mn *M Toulemonde, F A Beck, C Gehringer, B Haas, J C Merdinger, N Schulz and J P Vivien* G819

The level structure of ^{78}Br *B M Kluger-Bell, R E Anderson, R J Peterson, D E Prull, R A Ristinen and B L Smith* G827

High-spin states in ^{43}K *A H Behbehani, A M Al-Naser, L L Green, A N James, C J Lister, N R F Rammo, J F Sharpey-Schafer, H M Sheppard and P J Nolan* G971

A comprehensive study of the γ-ray spectroscopy of ^{43}Ca *A H Behbehani, A M Al-Naser, A J Brown, L L Green, A N James, C J Lister, N R F Rammo, J F Sharpey-Schafer, L H Zybert, R Zybert and P J Nolan* G1117

Effects of coupled reaction channels on polarisation in ^{3}He scattering *N M Clarke, M D Cohler and R J Griffiths* G1233

Cross sections for the ^{42}Ca(p, γ)^{43}Sc, ^{42}Ca(α, n)^{45}Ti and ^{44}Ca(p, n)^{44}Sc reactions *C W Cheng and J D King* G1261

Gamma-ray spectroscopy in ^{63}Zn and ^{63}Cu *O M Mustaffa, L P Ekström, G D Jones, F Kearns, T P Morrison, H G Price, D N Simister, P J Twin, R Wadsworth and N J Ward* G1283

The properties of low-lying levels of ^{129}Xe and ^{131}Xe *A D Irving, P D Forsyth, I Hall and D G E Martin* G1595

Elastic and inelastic scattering of alpha particles from ^{6}Li at 59 MeV *F Foroughi, E Bovet and Ch Nussbaum* G1731

Isomer ratios in antimony and tellurium isotopes *I S Grant and M Rathle* G1741

25.70 Heavy-particle-induced reactions and scattering

A semiempirical prediction of resonances in heavy-ion reactions for s–d shell nuclei *D Počanić and N Cindro* GL25

Comparison of entrance, exit and reaction channel data at backward angles for ^{28}Si(^{12}C, ^{16}O)^{24}Mg *M R Clover, B R Fulton, R Ost and R M DeVries* GL63

The signature for a high-density isomeric state formed in a relativistic heavy-ion collision *J M Irvine* GL143

Angular momentum dissipation in DIC within a classical friction model *R Schmidt and R Reif* GL181

A Fano effect in photonuclear reactions? *R Rosenfelder and J Husain* GL217

Compression phenomena and Mach shock waves in fast nucleus–nucleus collisions *H G Baumgardt and E Schopper* GL231

High-energy nuclear collisions: Evolution of the compressed zone *K K Gudima, H Iwe and V D Toneev* G229
The spin and parity of the 10·9 MeV resonance in $^{16}O + ^{12}C$ *N Cindro, G Vourvopoulos, X Aslanoglou, G Andritsopoulos, P Assimakopoulos and B Bakoyorgos* G309
Neutron and alpha-particle transfer processes in the reaction $^{12}C(^{9}Be, ^{8}Be)^{13}C$ *L Jarczyk, B Kamys, A Strzałkowski, M Hugi, J Lang, R Müller and E Ungricht* G565
Precision Doppler-shift attenuation lifetime measurements in ^{28}Si and ^{31}P *A R Poletti, L K Fifield, J Asher and B E Cooke* G575
On structures in the energy dependence of nuclear reaction cross sections *I Rotter* G685
Gamma-ray spectroscopy on ^{48}Cr *L P Ekström, G D Jones, F Kearns, T P Morrison, O M Mustaffa, D N Simister, H G Price, P J Twin, R Wadsworth and N J Ward* G803
Cross sections for production of transfermium elements *M T Magda, M Duma and A Sandulescu* G961
Gamma-ray spectroscopy in ^{63}Zn and ^{63}Cu *O M Mustaffa, L P Ekström, G D Jones, F Kearns, T P Morrison, H G Price, D N Simister, P J Twin, R Wadsworth and N J Ward* G1283
A mechanism for forming highly dense nuclear matter in relativistic nucleus–nucleus collisions *H Iwe* G1405
Coulomb–nuclear interference in the (^{7}Li, ^{7}Li′) reactions *T P Morrison, G D Jones, L P Ekström, F Kearns, A Kogan, P R G Lornie, O M Mustaffa, H G Price, D N Simister, P J Twin and R Wadsworth* G1751
A study of the neutron-deficient isotope ^{66}Ge *R Wadsworth, L P Ekström, G D Jones, F Kearns, T P Morrison, O M Mustaffa, H G Price, P J Twin and N J Ward* G1761

25.80 Meson- and hyperon-induced reactions and scattering

Coulomb effects in inelastic pion–nucleus scattering *J-F Germond and C Wilkin* GL127
M2 giant resonances in light nuclei *G E Dogotar, R A Eramzhyan, M Gmitro, H R Kissener and E Tlnkova* GL221
On the structure of the πd amplitude near the ΔN threshold *Yu A Simonov and M van der Velde* G493

25.85 Fission reactions

How prompt is Coulomb fission? *H Kruse, W T Pinkston, W Greiner and V Oberacker* GL105
Fission antineutrino-induced reactions *S A Fayans, L A Mikaelyan and Yu L Dobrynin* G209
Light-charged-particle emission in keV neutron-induced fission of ^{239}Pu *B Krishnarajulu, S Sen and G K Mehta* G319
Investigations of the hard beta radiation from ^{252}Cf fission *A A Borovoy, Yu V Klimov, V I Kopeykin and K D Shkolnik* G723
Neutron-induced fission of lead isotopes *T Czyzewski, J Dudek, M Sowiński and J Tys* G1001

27.00 PROPERTIES OF SPECIFIC NUCLEI LISTED BY MASS RANGES

27.20 $6 \leqslant A \leqslant 19$

On isospin-forbidden transitions *I Rotter* G75
Positive-parity alpha clusters in ^{19}F *H T Fortune* G381
Neutron and alpha-particle transfer processes in the reaction $^{12}C(^{9}Be, ^{8}Be)^{13}C$ *L Jarczyk, B Kamys, A Strzałkowski, M Hugi, J Lang, R Müller and E Ungricht* G565

27.30 $20 \leqslant A \leqslant 38$

4p and 6p–2h states in ^{20}O *S LaFrance, H T Fortune, S Mordechai and R Middleton* GL59
Comparison of entrance, exit and reaction channel data at backward angles for $^{28}Si(^{12}C,^{16}O)^{24}Mg$ *M R Clover, R R Fulton, R Ost and R M DeVries* GL63
Ambiguities in the ^{3}He spin–orbit potential for ^{32}S *J Barnwell, M D Cohler, N M Clarke, R J Griffiths, J S Hanspal, O Karban and S Roman* GL69
Microscopic models of the 2_1^+ and 3_1^+ states in ^{24}Mg and ^{28}Si and their test by inelastic scattering analyses *P Nesci, I Morrison and K Amos* G387
Precision Doppler-shift attenuation lifetime measurements in ^{28}Si and ^{31}P *A R Poletti, L K Fifield, J Asher and B E Cooke* G575

27.40 $39 \leqslant A \leqslant 58$

Calculation of energy spectra in $N = 28$ nuclei *D S Chuu, C S Han, M C Wang and S T Hsieh* G59
Lifetimes of excited states in ^{54}Mn and ^{53}Cr *D C Radford and A R Poletti* G409
Gamma-ray spectroscopy on ^{48}Cr *L P Ekström, G D Jones, F Kearns, T P Morrison, O M Mustaffa, D N Simister, H G Price, P J Twin, R Wadsworth and N J Ward* G803
Experimental evidence for low-lying intruder states in ^{54}Mn *M Toulemonde, F A Beck, C Gehringer, B Haas, J C Merdinger, N Schulz and J P Vivien* G819
High-spin states in ^{43}K *A H Behbehani, A M Al-Naser, L L Green, A N James, C J Lister, N R F Rammo, J F Sharpey-Schafer, H M Sheppard and P J Nolan* G971

A comprehensive study of the γ-ray spectroscopy of ^{43}Ca *A H Behbehani, A M Al-Naser, A J Brown, L L Green, A N James, C J Lister, N R F Rammo, J F Sharpey-Schafer, L H Zybert and R Zybert and P J Nolan* G1117

Cross sections for the ^{42}Ca(p, γ)^{43}Sc, ^{42}Ca(α, n)^{45}Ti and ^{44}Ca(p, n)^{44}Sc reactions *C W Cheng and J D King* G1261

Fragmented $g_{9/2}$ isobaric analogue resonances in the ^{52}Cr(p, γ)^{53}Mn reaction *I Fodor, J Sziklai, P Kleinwächter, H Schobbert and F Herrmann* G1267

On positive-parity states of ^{45}Sc, ^{47}Sc and ^{49}Sc *P Doll, G Mairle, H Breuer, K T Knöpfle, T Tohei and G J Wagner* 1421

27.50 59 ⩽ *A* ⩽ 89

Decay scheme of excited states in ^{67}Ge *A M Al-Naser, A H Behbehani, P A Butler, L L Green, A N James, C J Lister, P J Nolan, N R F Rammo, J F Sharpey-Schafer, H M Sheppard, L H Zybert and R Zybert* G423

Mean lifetimes of ^{85}Sr levels *S K Basu, A P Patro, S Brant and V Paar* G585

The level structure of ^{78}Br *B M Kluger-Bell, R E Anderson, R J Peterson, D E Prull, R A Ristinen and B L Smith* G827

The (n, 2n) cross sections of ^{85}Rb, ^{107}Ag and ^{181}Ta at 14·6 MeV *S C Misra and U C Gupta* G855

On the deformation parameter of ^{66}Ga *C T Yap and E L Saw* G1157

Positive-parity states of ^{85}Kr *S Bhattacharya and S K Basu* G1163

Gamma-ray spectroscopy in ^{63}Zn and ^{63}Cu *O M Mustaffa, L P Ekström, G D Jones, F Kearns, T P Morrison, H G Price, D N Simister, P J Twin, R Wadsworth and N J Ward* G1283

Electron capture to positron emission ratios in the allowed decay of ^{89}Zr *A D Baillie, K W D Ledingham, J G Lynch and M Campbell* G1433

A study of the neutron-deficient isotope ^{66}Ge *R Wadsworth, L P Ekström, G D Jones, F Kearns, T P Morrison, O M Mustaffa, H G Price, P J Twin and N J Ward* G1761

27.60 90 ⩽ *A* ⩽ 149

A possible semimicroscopic mechanism to generate two 0^+ bands and their band mixing: ^{110}Cd as an example *V Paar and R A Meyer* GL75

Description of the substructure in the radiative strength function of ^{117}Sn and ^{119}Sn *C Z Khuong, V G Soloviev and V V Voronov* GL79

The onset of deformation in the neutron-rich Ba isotopes *S M Scott, D D Warner, W D Hamilton, P Hungerford, G Jung, K D Wünsch and B Pfeiffer* GL187

Gamma–gamma coincidences and electron conversion measurement in ^{141}La *A N Proto, D Otero and E Achterberg* G121

Weak-coupling approximation for the spectroscopy of medium-mass and heavy nuclei. I: The structure of Mo isotopes *A Kumar and R K Bansal* G265

The difference in nuclear charge radius between ^{110,112,114,116}Cd *C W E van Eijk, J Wijnhorst, M A Popelier and W A Gillespie* G315

The (n, 2n) cross sections of ^{85}Rb, ^{107}Ag and ^{181}Ta at 14·6 MeV *S C Misra and U C Gupta* G855

The ^{130}Te(p, α)^{127}Sb reaction and the role of the collective neutron excitations *P Debenham, W R Falk, O Abou-Zeid and N E Davison* G981

Directional correlations of gamma transitions in ^{105}Rh *R N Saxena, V A P Esteves and F C Zawislak* G1169

Low-energy behaviour of the proton optical potential of Sn *B Gyarmati, T Vertse, L Zolnai, A I Baryshnikov, A F Gurbich, N N Titarenko and E L Yadrovsky* G1225

The decay of 2·8 min ^{145}Ce and 2·3 min ^{148}Pr *H W Taylor and B Singh* G1445

The properties of low-lying levels of ^{129}Xe and ^{131}Xe *A D Irving, P D Forsyth, I Hall and D G E Martin* G1595

Correlations between (n, γ) and (d, p) reactions on ^{144}Sm *D D Warner, W F Davidson and W Gelletly* G1723

Isomer ratios in antimony and tellurium isotopes *I S Grant and M Rathle* G1741

27.70 150 ⩽ *A* ⩽ 189

Three-quasiparticle isomers and rotational bands in ^{171}Hf and ^{173}Hf *G D Dracoulis, P M Walker and K F Yee* GL19

Effect of number conservation on energy spectra of ^{158,160}Er *M R Gunye and C S Warke* GL83

Study of ^{151}Eu levels via the (p, 2nγ) reaction *G Lo Bianco, N Molho, A Moroni, S Angius, N Blasi and A Ferrero* G697

The (n, 2n) cross sections of ^{85}Rb, ^{107}Ag and ^{181}Ta at 14·6 MeV *S C Misra and U C Gupta* G855

Band mixing in doubly-even nuclei at the beginning of the rare-earth region *A Covello and G Giberti* G989

The sign change in E2 : M1 multipole mixing ratios in the mass-150 region *W D Hamilton and K Kumar* G1567

27.80 $190 \leqslant A \leqslant 219$
Neutron-induced fission of lead isotopes *T Czyzewski, J Dudek, M Sowiński and J Tys* G1001
27.90 $220 \leqslant A$
The pre-equilibrium contribution to the (n, 2n) reactions of ^{232}Th and ^{238}U *H Karius, A Ackermann and W Scobel* G715
The ^{238}U(γ, a) and ^{238}U(n, an') reactions—have they really been observed? *E W Lees, B H Patrick and S Lindley* G1307

28.00 NUCLEAR ENGINEERING AND NUCLEAR POWER STUDIES
28.20 Neutron physics
Inelastic scattering of 14·8 MeV neutrons from deuterons *K Gul, A Waheed, M Ahmad, M Saleem and N A Khan* G1107

90.00 GEOPHYSICS, ASTRONOMY AND ASTROPHYSICS

94.00 AERONOMY AND SPACE PHYSICS
94.40 Cosmic rays
Coupling functions for muon telescopes at sea level and underground *A K Das and A K De* G133
94.40L Composition and energy spectra
Sea-level flux determination for heavy cosmic-ray particles *A M Bakich, L S Peak and P A Riley* G433
Primary cosmic-ray nucleon spectrum from the sea-level muon spectrum using the scaling model *A K Das and A K De* G445
Scaling, the energy dependence of the total inelastic p–air cross section and the hadron energy spectrum *J E F Baruch, G Brooke, E W Kellermann and N D Walster* G595
Neutral to charged ratio for unaccompanied high-energy cosmic-ray hadrons at mountain altitude *J R MacFall, R W Ellsworth, A S Ito, F Siohan, R E Streitmatter, S C Tonwar, P R Viswanath and G B Yodh* G861
Photoproduction in large cosmic-ray showers *T J L McComb, R J Protheroe and K E Turver* G1613
94.40N Extensive air showers
Atmospheric Cerenkov study of the development of cosmic-ray showers *G J Thornton and R W Clay* GL137
Electrons in large air showers observed at 5200 m above sea level *C Aguirre, F Kakimoto, K Kamata, T Kaneko, P K MacKeown, Y Mizumoto, K Murakami, M Nagano, H Nakatani, K Nishi, K Suga, Y Toyoda, A Treppi and H Yoshii* G139
Muons in large air showers observed at 5200 m above sea level *C Aguirre, F Kakimoto, K Kamata, T Kaneko, P K MacKeown, Y Mizumoto, K Murakami, H Nakatani, K Nishi, K Suga, Y Toyoda, A Treppi and Y Yoshii* G151
Photoproduction in large cosmic-ray showers *T J L McComb, R J Protheroe and K E Turver* G1613
94.40R High-energy interactions
The interpretation of the spectra of high-energy gamma-ray families obtained in the Pamir and Fuji experiments *H Bielawska and A Tomaszewski* GL37
Proton–proton total cross section at cosmic ray energies *S C Tonwar* GL193
The density spectrum of cosmic-ray air showers at very high densities *C B A McCusker and M M Winn* G159
Primary cosmic-ray nucleon spectrum from the sea-level muon spectrum using the scaling model *A K Das and A K De* G445
Neutral to charged ratio for unaccompanied high-energy cosmic-ray hadrons at mountain altitude *J R MacFall, R W Ellsworth, A S Ito, F Siohan, R E Streitmatter, S C Tonwar, P R Viswanath and G B Yodh* G861
Photoproduction in large cosmic-ray showers *T J L McComb, R J Protheroe and K E Turver* G1613
94.40T Muons and neutrinos
Primary cosmic-ray nucleon spectrum from the sea-level muon spectrum using the scaling model *A K Das and A K De* G445

Author index with titles

Abdul-Jalil I and Jackson D F: Energy dependence of the optical potential for proton scattering from light nuclei G1699

Abou-Zeid O: *see* Debenham P G981

Achterberg E: *see* Proto A N G121

Ackermann A: *see* Karius H G715

Aguirre C, Kakimoto F, Kamata K, Kaneko T, MacKeown P K, Mizumoto Y, Murakami K, Nagano M, Nakatani H, Nishi K, Suga K, Toyoda Y, Trepp A and Yoshii H: Electrons in large air showers observed at 5200 m above sea level G139

Aguirre C, Kakimoto F, Kamata K, Kaneko T, MacKeown P K, Mizumoto Y, Murakami K, Nakatani H, Nishi K, Suga K, Toyoda Y, Treppi A and Yoshii Y: Muons in large air showers observed at 5200 m above sea level G151

Ahmad I: *see* Bano N G39

Ahmad M: *see* Gul K G1107

Allen L J and Fiedeldey H: Polarisation measurements in elastic electron–deuteron scattering and the percentage D state of the deuteron G1555

Al-Naser A M, Behbehani A H, Butler P A, Green L L, James A N, Lister C J, Nolan P J, Rammo N R F, Sharpey-Schafer J F, Sheppard H M, Zybert L H and Zybert R: Decay scheme of excited states in ^{67}Ge G423

Al-Naser A M: *see* Behbehani A H G971

Al-Naser A M: *see* Behbehani A H G1117

Amos K: *see* Nesci P G387

Anderson R and Joshi G C: Factorisation of Regge slopes for multi-quark hadrons G199

Anderson R E: *see* Kluger-Bell B M G827

Andritsopoulos G: *see* Cindro N G309

Aneva B L and Stoyanov D T: A supersymmetric form of the Thirring model G463

Angius S: *see* Lo Bianco G G697

Asher J: *see* Poletti A R G575

Aslanoglou X: *see* Cindro N G309

Assimakopoulos P: *see* Cindro N G309

Bagchi B: *see* Gautam V P G885

Baillie A D, Ledingham K W D, Lynch J G and Campbell M: Electron capture to positron emission ratios in the allowed decay of ^{89}Zr G1433

Bakich A M, Peak L S and Riley P A: Sea-level flux determination for heavy cosmic-ray particles G433

Bakoyorgos B: *see* Cindro N G309

Bano N and Ahmad I: Medium-energy pion scattering and the α-cluster description of ^{12}C G39

Bansal R K: *see* Kumar A G265

Barger V, Long W F and Pakvasa S: Lifetimes and branching fractions of mesons with heavy-quark constituents GL147

Barnes K J, Jarvis P D and Ketley I J: An orthogonal way: A synthesis for leptons and hadrons G1

Barnes K J, Dondi P H, Jarvis P D and Ketley I J: Hadronic and electromagnetic widths of mesons in the style schemes G649

Barnwell J, Cohler M D, Clarke N M, Griffiths R J, Hanspal J S, Karban O and Roman S: Ambiguities in the ^{3}He spin–orbit potential for ^{32}S GL69

Baruch J E F, Brooke G, Kellermann E W and Walster N D: Scaling, the energy dependence of the total inelastic p–air cross section and the hadron energy spectrum G595

Baryshnikov A I: *see* Gyarmati B G1225

Basu S K, Patro A P, Brant S and Paar V: Mean lifetimes of ^{85}Sr levels G585

Basu S K: *see* Bhattacharya S G1163

Bauer M and Mello P A: Time delay and correlation length of fluctuations in nuclear reactions GL199

Baumgardt H G and Schopper E: Compression phenomena and Mach shock waves in fast nucleus–nucleus collisions GL231

Beck F A: *see* Toulemonde M G819

Behbehani A H, Al-Naser A M, Green L L, James A N, Lister C J, Rammo N R F, Sharpey-Schafer J F, Sheppard H M and Nolan P J: High-spin states in ^{43}K G971

Behbehani A H, Al-Naser A M, Brown A J, Green L L, James A N, Lister C J, Rammo N R F, Sharpey-Schafer J F, Zybert L H, Zybert R and Nolan P J: A comprehensive study of the γ-ray spectroscopy of ^{43}Ca G1117

Behbehani A H: *see* Al-Naser A M G423

Behera B and Satpathy R K: The single-particle potential, symmetry coefficient and effective mass in nuclear matter G85

Behera B and Satpathy R K: Energy per particle, effective mass and magnetic susceptibility in neutron matter G1085

Belyaev V B, Möller K and Simonov Yu A: A theoretical investigation of the bound states and resonances in the NΔ system G1057

Bendiscioli G: Coulomb–nuclear interference and reaction cross-section in charged particle scattering GL213

Bhat P N, Gopalakrishnan N V, Gupta S K and Tonwar S C: Search for tachyons in extensive air showers GL13

Bhatia T S: *see* Fuchs H G797

Bhattacharya S and Basu S K: Positive-parity states of ^{85}Kr G1163

Bielawska H and Tomaszewski A: The interpretation of the spectra of high-energy gamma-ray families obtained in the Pamir and Fuji experiments GL37
Blasi N: *see* Lo Bianco G G697
Borbély I: Empirical continuation of the differential cross section G937
Borovoy A A, Klimov Yu V, Kopeykin V I and Shkolnik K D: Investigations of the hard beta radiation from ^{252}Cf fission G723
Bovet E: *see* Foroughi F G1731
Bowler M G: A simple analytic treatment of rescattering effects in the Deck model G203
Brack M: *see* Dillig M G223
Bradley A and Gault F D: The covariant nature of helicity conservation G481
Brant S: *see* Basu S K G585
Breuer H: *see* Doll P G1421
Brink D M: *see* Hasan H G771
Brooke G: *see* Baruch J E F G595
Brown A J: *see* Behbehani A H G1117
Brown B A, Massen S E and Hodgson P E: Proton and neutron density distributions for $A = 16$–58 nuclei G1655
Brut F, Mankoč-Borštnik N and Jang S: High-spin states in ^{23}Na obtained by approximate microscopic methods compared with shell-model calculations G1249
Bugg D V: $\Delta\sigma_L$(NN) between 400 and 600 MeV G1349
Butler P A: *see* Al-Naser A M G423

Campbell M: *see* Baillie A D G1433
Chen H-T: *see* Kyotoku M G1649
Cheng C W and King J D: Cross sections for the ^{42}Ca(p, γ)^{43}Sc, ^{42}Ca(α ,n)^{45}Ti and ^{44}Ca(p, n)^{44}Sc reactions G1261
Chuu D S, Han C S, Wang M C and Hsieh S T: Calculation of energy spectra in $N = 28$ nuclei G59
Cindro N, Vourvopoulos G, Aslanoglou X, Andritsopoulos G, Assimakopoulos P and Bakoyorgos B: The spin and parity of the 10·9 MeV resonance in ^{16}O + ^{12}C G309
Cindro N: *see* Počanić D GL25
Clark N M: Two-step processes and their energy dependence in the ^{24}Mg(p, d)^{23}Mg reaction GL33
Clarke N M, Cohler M D and Griffiths R J: Effects of coupled reaction channels on polarisation in ^{3}He scattering G1233
Clarke N M: *see* Cohler M D GL43
Clarke N M: *see* Barnwell J GL69
Clay R W: *see* Thornton G J GL137
Clover M R, Fulton B R, Ost R and DeVries R M: Comparison of entrance, exit and reaction channel data at backward angles for ^{28}Si(^{12}C, ^{16}O)^{24}Mg GL63
Cohler M D, Griffiths R J, Clarke N M and Hanspal J S: The microscopic spin–orbit potential for light ions GL43
Cohler M D: *see* Barnwell J GL69
Cohler M D: *see* Clarke N M G1233
Collins P D B and Wright A D M: Reggeon exchange in the quark model G1461
Conze M and Manakos P: Alpha-structure amplitudes for nuclei in the lower half of the sd shell G671
Cooke B E: *see* Poletti A R G575
Cottingham W N and Dunbar I H: Tensor meson production in photon–photon collisions GL155
Covello A and Giberti G: Band mixing in doubly-even nuclei at the beginning of the rare-earth region G989
Cwiok S: *see* Dudek J G1359
Czyzewski T, Dudek J, Sowiński M and Tys J: Neutron-induced fission of lead isotopes G1001

Das A K and De A K: Coupling functions for muon telescopes at sea level and underground G133
Das A K and De A K: Primary cosmic-ray nucleon spectrum from the sea-level muon spectrum using the scaling model G445
Davidson W F: *see* Warner D D G1723
Davison N E: *see* Debenham P G981
De A K *see* Das A K G133
De A K: *see* Das A K G445
Debenham P, Falk W R, Abou-Zeid O and Davison N E: The ^{130}Te(p, α)^{127}Sb reaction and the role of the collective neutron excitations G981
Delbourgo R: The gluon propagator G603
Delbourgo R and Scadron M D: Proof of the Nambu–Goldstone realisation for vector-gluon–quark theories G1621
DeVries R M: *see* Clover M R GL63
Dey J: *see* Dey M G757
Dey M, Samanta B C and Dey J: Comparison of reaction matrices for free scattering and nuclear matter G757
Dillig M and Brack M: Finite-range effects in the πNN, πNΔ and $\pi\Delta\Delta$ vertices G223
Dobrynin Yu L: *see* Fayans S A G209
Dogotar G E, Eramzhyan R A, Gmitro M, Kissener H R and Tinkova E: M2 giant resonances in light nuclei GL221
Doll P, Mairle G, Breuer H, Knöpfle K T, Tohei T and Wagner G J: On positive-parity states of ^{45}Sc, ^{47}Sc and ^{49}Sc G1421
Doll P: *see* Fuchs H G797
Dondi P H: *see* Barnes K J G649
Dracoulis G D, Walker P M and Yee K F: Three-quasiparticle isomers and rotational bands in ^{171}Hf and ^{173}Hf GL19
Dreissigacker K, Pöpping H, Sauer P U and Walliser H: The use of Coulomb wavefunctions in momentum space for two-particle scattering G1199
Dudek J, Majhofer A, Skalski J, Werner T, Cwiok S and Nazarewicz W: Parameters of the deformed Woods–Saxon potential outside $A = 110$–210 nuclei G1359
Dudek J: *see* Czyzewski T G1001
Duma M: *see* Magda M T G961
Dunbar I H: *see* Cottingham W N GL155

van Eijk C W E, Wijnhorst J, Popelier M A and Gillespie W A: The difference in nuclear charge radius between ^{110,112,114,116}Cd G315

Eisenberg J M: *see* Kalbermann G G35
Eisenberg J M: *see* Kapon E G893
Ekström L P, Jones G D, Kearns F, Morrison T P, Mustaffa O M, Simister D N, Price H G, Twin P J, Wadsworth R and Ward N J: Gamma-ray spectroscopy on ^{48}Cr G803
Ekström L P: *see* Mustaffa O M G1283
Ekström L P: *see* Morrison T P G1751
Ekström L P: *see* Wadsworth R G1761
Ellsworth R W: *see* MacFall J R G861
Eramzhyan R A: *see* Dogotar G E GL221
Erő J: *see* Végh L GL227
Esteves V A P: *see* Saxena R N G1169

Fairlie D B: Two consistent calculations of the Weinberg angle GL55
Falk W R: *see* Debenham P G981
Famery A: On the study of hole states by the continuum shell-model formalism G241
Fayans S A, Mikaelyan L A and Dobrynin Yu L: Fission antineutrino-induced reactions G209
Ferrero A: *see* Lo Bianco G G697
Fiedeldey H: *see* Allen L J G1555
Fifield L K: *see* Poletti A R G575
Fodor I, Sziklai J, Kleinwächter P, Schobbert H and Herrmann F: Fragmented $g_{9/2}$ isobaric analogue resonances in the ^{52}Cr(p, γ)^{53}Mn reaction G1267
Foroughi F, Bovet E and Nussbaum Ch: Elastic and inelastic scattering of alpha particles from ^{6}Li at 59 MeV G1731
Forsyth P D: *see* Irving A D G1595
Fortune H T: Positive-parity alpha clusters in ^{19}F G381
Fortune H T: *see* LaFrance S GL59
Fuchs H, Bhatia T S, Doll P, Hafner H and Wagner G J: Experimental study of resonance line-shapes in ^{12}C(r, d) stripping into the continuum G797
Fulton B R: *see* Clover M R GL63

Galić H, Guberina B, Picek I and Tadić D: Flavour symmetry breaking and isovector parity-violating potentials GL113
Gault F D: *see* Bradley A G481
Gautam V P, Bagchi B and Nandy A: Asymptotic SU(5) symmetry and spectral-function sum rules G885
Gehringer C: *see* Toulemonde M G819
Gelletly W: *see* Warner D D G1723
Germond J-F and Wilkin C: Coulomb effects in inelastic pion–nucleus scattering GL127
Giberti G: *see* Covello A G989
Gillespie A T: Screening of static colour charges in classical gauge theories G619
Gillespie W A: *see* van Eijk C W E G315
Gmitro M: *see* Dogotar G E GL221
Gopalakrishnan N V: *see* Bhat P N GL13
Grant I S and Rathle M: Isomer ratios in antimony and tellurium isotopes G1741
Green A M and Sainio M E: The imaginary components of $T = 1$ nucleon–nucleon phase-shifts and their effect on spin-dependent inelastic cross sections G503
Green L L: *see* Al-Naser A M G423
Green L L: *see* Behbehani A H G971
Green L L: *see* Behbehani A H G1117
Greiner W: *see* Kruse H GL105
Greiner W: *see* Heinz U G1383
Griffiths R J: *see* Cohler M D GL43
Griffiths R J: *see* Barnwell J GL69
Griffiths R J: *see* Clarke N M G1233
Guberina B: *see* Galić H GL113
Gudima K K, Iwe H and Toneev V D: High-energy nuclear collisions: Evolution of the compressed zone G229
Gul K, Waheed A, Ahmad M, Saleem M and Khan N A: Inelastic scattering of 14·8 MeV neutrons from deuterons G1107
Gunye M R and Warke C S: Effect of number conservation on energy spectra of ^{158,160}Er GL83
Gupta S K: *see* Bhat P N GL13
Gupta U C: *see* Misra S C G855
Gurbich A F: *see* Gyarmati B G1225
Gyarmati B, Vertse T, Zolnai L, Baryshnikov A I, Gurbich A F, Titarenko N N and Yadrovsky E L: Low-energy behaviour of the proton optical potential of Sn G1225

Haas B: *see* Toulemonde M G819
Haensel P: On the charge-asymmetric term in the nuclear binding energies of heavy nuclei G1071
Hafner H: *see* Fuchs H G797
Hall I: *see* Irving A D G1595
Hamilton J H: *see* Peker L K GL165
Hamilton J H: *see* Peker L K GL203
Hamilton W D and Kumar K: The sign change in E2:M1 multipole mixing ratios in the mass-150 region G1567
Hamilton W D: *see* Scott S M GL187
Han C S: *see* Chuu D S G59
Hanspal J S: *see* Cohler M D GL43
Hanspal J S: *see* Barnwell J GL69
Hasan H and Brink D M: The transfer amplitude and angular distributions in heavy-ion reactions G771
Hasse R W: Derivation of the nuclear one-body dissipation formula from the Boltzmann equation GL101
Heinz U, Greiner W and Scheid W: Equation of state for hot nuclear matter G1383
Herold H: Microscopic theory of nuclear collective rotation. II: Microscopic description of deformed nuclei G351
Herold H and Ruder H: Microscopic theory of nuclear collective rotation. I: General description of rotations G341

Herold H, Reinecke M and Ruder H: Microscopic theory of nuclear collective rotation. III: Test of the SDHFB and the HFBP method in an exactly solvable realistic model G907
Herrmann F: *see* Fodor I G1267
Heyde K: *see* Sau J G1643
Hodgson P E: *see* Brown B A G1655
Hodgson R J W: Analytic form for the off-shell p–p *T* matrix for the Graz separable interaction G555
Hsieh S T: *see* Chuu D S G59
Huby R: On Humblet's modified *K* matrix G295
Hugi M: *see* Jarczyk L G565
Hungerford P: *see* Scott S M GL187
Husain J: *see* Rosenfelder R GL217
Hwa R C: *see* Roberts R G G1043

Irvine J M: The signature for a high-density isomeric state formed in a relativistic heavy-ion collision GL143
Irvine J M: *see* Modarres M GL7
Irvine J M: *see* Modarres M GL133
Irvine J M: *see* Sandhya Devi K R G281
Irvine J M: *see* Modarres M G511
Irving A D, Forsyth P D, Hall I and Martin D G E: The properties of low-lying levels of ^{129}Xe and ^{131}Xe G1595
Ito A S: *see* MacFall J R G861
Ivaşcu M: *see* Poenaru D N GL169
Ivaşcu M: *see* Poenaru D N G1093
Iwe H: A mechanism for forming highly dense nuclear matter in relativistic nucleus–nucleus collisions G1405
Iwe H: *see* Gudima K K G229

Jackson D F: *see* Abdul-Jalil I G1699
Jacquemin C and Spitz S: A method of exact calculation of fixed-*J* configuration centroids GL95
Jain B K: On the impulse approximation for the (p, 2p) reaction G663
James A N: *see* Al-Naser A M G423
James A N: *see* Behbehani A H G971
James A N: *see* Behbehani A H G1117
Jang S: *see* Brut F G1249
Jarczyk L, Kamys B, Strzałkowski A, Hugi M, Lang J, Müller R and Ungricht E: Neutron and alpha-particle transfer processes in the reaction ^{12}C(^{9}Be, ^{8}Be)^{13}C G565
Jarvis P D: *see* Barnes K J G1
Jarvis P D: *see* Barnes K J G649
Jones G D: *see* Ekström L P G803
Jones G D: *see* Mustaffa O M G1283
Jones G D: *see* Morrison T P G1751
Jones G D: *see* Wadsworth R G1761
Joshi G C: *see* Anderson R G199
Jung G: *see* Scott S M GL187
Jurewicz A: The multipole $E\{^{3/2}_{1/2}\}$ of the photopion production on nucleons and its double zero at the resonance Δ(1232) G487

Kakimoto F: *see* Aguirre C G139
Kakimoto F: *see* Aguirre C G151
Kalbermann G and Eisenberg J M: Theoretical search for a π^-nn stable bound state G35
Kamata K: *see* Aguirre C G139
Kamata K: *see* Aguirre C G151
Kämpfer B and Rotter I: Coulomb energy anomaly and charge-dependent nuclear forces G747
Kamys B: *see* Jarczyk L G565
Kaneko T: *see* Aguirre C G139
Kaneko T: *see* Aguirre C G151
Kanwar S, Verma R C and Khanna M P: Weak hadronic and radiative decays of non-strange charmed baryons in SU(3) for the u,d and c quark sector G219
Kapon E, Piasetzky E and Eisenberg J M: Models for the non-static NΔ interaction G893
Kapoor A K: Uniqueness of the axial vector anomaly G471
Karban O: *see* Barnwell J GL69
Karius H, Ackermann A and Scobel W: The pre-equilibrium contribution to the (n, 2n) reactions of ^{232}Th and ^{238}U G715
Kearns F: *see* Ekström L P G803
Kearns F: *see* Mustaffa O M G1283
Kearns F: *see* Morrison T P G1751
Kearns F: *see* Wadsworth R G1761
Kellermann E W: *see* Baruch J E F G595
Kellett B H: Quantum electrodynamics at short distances and the stability of the vacuum GL49
Kennett S R, Switkowski Z E, Paine B M and Sargood D G: Yield measurements in the reactions ^{48}Ca(p, γ)^{49}Sc and ^{48}Ca(p, n)^{48}Sc G399
Keshavamurthy R S: *see* Ramachandran G G1525
Ketley I J: *see* Barnes K J G1
Ketley I J: *see* Barnes K J G649
Khan M Z R: *see* Mujib F G541
Khan N A: *see* Gul K G1107
Khanna M P: *see* Kanwar S G219
Khanna M P: *see* Verma R C G1033
Khanna M P: *see* Sharma K G1519
Khare A and Maharana J: What do the baryonium data tell us about the nucleon–antinucleon potential? GL87
Khare A and Pradhan T: Moving scale dimension pole in quantum electrodynamics G337
Khuong C Z, Soloviev V G and Voronov V V: Description of the substructure in the radiative strength function of ^{117}Sn and ^{119}Sn GL79
Kiang D and Nogami Y: electromagnetic potential between nucleons GL159
King J D: *see* Cheng C W G1261
Kissener H R: *see* Dogotar G E GL221
Kleinwächter P: *see* Fodor I G1267
Klimov Yu V: *see* Borovoy A A G723
Kluger-Bell B M, Anderson R E, Peterson R J, Prull D E, Ristinen R A and Smith B L: The level structure of ^{78}Br G827
Knöpfle K T: *see* Doll P G1421

Kobos A M and Mackintosh R S: The phenomenology of proton elastic scattering and evidence for angular-momentum-dependent optical-model potentials G97
Kobos A M: *see* Mackintosh R S G359
Kogan A: *see* Morrison T P G1751
Komarov V I, Kosarev G E, Muller H, Netzband D, Stiehler T and Tesch S: Quasifree knock-out of proton pairs in the reaction C(p, 3p) at 640 MeV G1717
Kopeykin V I: *see* Borovoy A A G723
Kosarev G E: *see* Komarov V I G1717
Krishnarajulu B, Sen S and Mehta G K: Light-charged-particle emission in keV neutron-induced fission of ^{239}Pu G319
Kroll P, Leader E and von Schlippe W: Interpretation of the spin structure in nucleon–nucleon scattering G1179
Kruse H, Pinkston W T, Greiner W and Oberacker V: How prompt is Coulomb fission? GL105
Kumar A and Bansal R K: Weak-coupling approximation for the spectroscopy of medium-mass and heavy nuclei. I: The structure of Mo isotopes G265
Kumar K: *see* Vaagen J S G1211
Kumar K: *see* Hamilton W D G1567
Kyotoku M and Chen H-T: A simplified generator coordinate treatment with analytical projected-BCS solutions for isovector pairing collective motions G1649

LaFrance S, Fortune H T, Mordechai S and Middleton R: 4p and 6p–2h states in ^{20}O GL59
Lang J: *see* Jarczyk L G565
Langbein W: Non-convexity of unitary angular distributions and partial-wave ambiguities in the presence of error-affected data G325
Lazard C, Marić Z and Živanović Dj: On the mesonic-exchange currents in the photomesic reactions G1549
Leader E: *see* Kroll P G1179
Ledingham K W D: *see* Baillie A D G1433
Lees E W, Patrick B H and Lindley S: The ^{238}U(γ, α) and ^{238}U(n, αn') reactions—have they really been observed? G1307
Lindley S: *see* Lees E W G1307
Lister C J: *see* Al-Naser A M G423
Lister C J: *see* Behbehani A H G971
Lister C J: *see* Behbehani A H G1117
Lo Bianco G, Molho N, Moroni A, Angius S, Blasi N and Ferrero A: Study of ^{151}Eu levels via the (p, 2nγ) reaction G697
Long W F: *see* Barger V GL147
Lornie P R G: *see* Morrison T P G1751
Lovas R G: Deformation of the neutron excess and (p, n) scattering GL175
Lynch J G: *see* Baillie A D G1433

McCall M H: Flavour and spin effects in the quark sea GL117
McComb T J L, Protheroe R J and Turver K E: Photoproduction in large cosmic-ray showers G1613
McCusker C B A and Winn M M: The density spectrum of cosmic-ray air showers at very high densities G159
MacFall J R, Ellsworth R W, Ito A S, Siohan F, Streitmatter R E, Tonwar S C, Viswanath P R and Yodh G B: Neutral to charged ratio for unaccompanied high-energy cosmic-ray hadrons at mountain altitude G861
McKellar B H J: The ρ-exchange isovector parity-violating potential G1313
MacKeown P K: *see* Aguirre C G139
MacKeown P K: *see* Aguirre C G151
Mackintosh R S: Proposed new approach to an empirical optical model G1587
Mackintosh R S and Kobos A M: The physical interpretation of angular-momentum-dependent optical potentials G359
Mackintosh R S: *see* Kobos A M G97
Magda M T, Duma M and Săndulescu A: Cross sections for production of transfermium elements G961
Maharana J: *see* Khare A GL87
Mahdavi-Hezaveh E: Production of light leptons in arbitrary beams via many-vector boson exchange G1633
Mairle G: *see* Doll P G1421
Majhofer A: *see* Dudek J G1359
Manakos P: *see* Conze M G671
Mankoč-Borštnik N: *see* Brut F G1249
Marić Z: *see* Lazard C G1549
Martin D G E: *see* Irving A D G1595
Massen S E: *see* Brown B A G1655
Massmann H and Robotham H: On some aspects of Coulomb excitation of nuclear rotational states G915
Matsuda S: *see* Roberts R G G1043
Mazilu D: *see* Poenaru D N G1093
Mehta G K: *see* Krishnarajulu B G319
Mello P A: *see* Bauer M GL199
Merdinger J C: *see* Toulemonde M G819
Meyer R A: *see* Paar V GL75
Michael C and Webber D M: Pi-ball configurations in high-energy multiparticle production GL1
Middleton R: *see* LaFrance S GL59
Mikaelyan L A: *see* Fayans S A G209
Misra S C and Gupta U C: The (n, 2n) cross sections of ^{85}Rb, ^{107}Ag and ^{181}Ta at 14·6 MeV G855
Mizumoto Y: *see* Aguirre C G139
Mizumoto Y: *see* Aguirre C G151
Modarres M and Irvine J M: LOCV calculations and the three-body cluster energy in nuclear matter GL7
Modarres M and Irvine J M: The magnetic susceptibility of neutron matter GL133

Modarres M and Irvine J M: LOCV calculations with a self-consistent treatment of isobars G511
Molho N: *see* Lo Bianco G G697
Möller K: *see* Belyaev V B G1057
Moore R: The pion structure function and scale breaking in Drell–Yan processes G1509
Mordechai S: *see* LaFrance S GL59
Moroni A: *see* Lo Bianco G G697
Morrison I: *see* Nesci P G387
Morrison T P, Jones G D, Ekström L P, Kearns F, Kogan A, Lornie P R G, Mustaffa O, Price H G, Simister D N, Twin P J and Wadsworth R: Coulomb–nuclear interference in the (^{7}Li,^{7}Li') reactions G1751
Morrison T P: *see* Ekström L P G803
Morrison T P: *see* Mustaffa O M G1283
Morrison T P: *see* Wadsworth R G1761
Mujib F, Shoeb M, Usmani Q N and Khan M Z R: Analysis of p-shell hypernuclei with effective lambda–nucleon potentials G541
Muller H: *see* Komarov V I G1717
Müller R: *see* Jarczyk L G565
Münchow L and Schulz H: A Thomas–Fermi study of rapidly rotating nuclei G527
Murakami K: *see* Aguirre C G139
Murakami K: *see* Aguirre C G151
Murthy M V N: *see* Ramachandran G G1525
Mustaffa O M, Ekström L P, Jones G D, Kearns F, Morrison T P, Price H G, Simister D N, Twin P J, Wadsworth R and Ward N J: Gamma-ray spectroscopy in ^{67}Zn and ^{63}Cu G1283
Mustaffa O M: *see* Ekström L P G803
Mustaffa O : *see* Morrison T P G1751
Mustaffa O M: *see* Wadsworth R G1761

Nagano M: *see* Aguirre C G139
Nakatani H: *see* Aguirre C G139
Nakatani H: *see* Aguirre C G151
Nandy A: *see* Gautam V P G885
Nazarewicz W: *see* Dudek J G1359
Nesci P, Morrison I and Amos K: Microscopic models of the 2^+ and 3^+ states in ^{24}Mg and ^{28}Si and their test by inelastic scattering analyses G387
Netzband D: *see* Komarov V I G1717
Nir D: Shell effects in the RMS radii of the nuclear charge distributions determined by electron scattering G53
Nishi K: *see* Aguirre C G139
Nishi K: *see* Aguirre C G151
Nogami Y: *see* Kiang D GL159
Nolan P J: *see* Al-Naser A M G423
Nolan P J: *see* Behbehani A H G971
Nolan P J: *see* Behbehani A H G1117
Nussbaum Ch: *see* Foroughi F G1731

Oberacker V: *see* Kruse H GL105
Ost R: *see* Clover M R GL63
Otero D: *see* Proto A N G121

Paar V and Meyer R A: A possible semimicroscopic mechanism to generate two 0^+ bands and their band mixing; ^{110}Cd as an example GL75
Paar V: *see* Basu S K G585
Paine B M: *see* Kennett S R G399
Pakvasa S: *see* Barger V GL147
Patrick B H: *see* Lees E W G1307
Patro A P: *see* Basu S K G585
Peak L S: *see* Bakich A M G433
Peker L K and Hamilton J H: Are the E1 transitions from octupole vibrational states collective or particle transitions? GL165
Peker L K and Hamilton J H: Is there evidence for rotation along the axis of symmetry in transitional nuclei? GL203
Peterson R J: *see* Kluger-Bell B M G827
Pfeiffer B: *see* Scott S M GL187
Piasetzky E: *see* Kapon E G893
Picek I: *see* Galić H GL113
Pinkston W T *see* Kruse H GL105
Počanić D and Cindro N: A semiempirical prediction of resonances in heavy-ion reactions for s–d shell nuclei GL25
Poenaru D N, Ivaşcu M and Săndulescu A: Alpha decay as a fission-like process GL169
Poenaru D N, Mazilu D and Ivaşcu M: Deformation energies for nuclei with different charge-to-mass ratio G1093
Poletti A R, Fifield L K, Asher J and Cooke B E: Precision Doppler-shift attenuation lifetime measurements in ^{28}Si and ^{31}P G575
Poletti A R: *see* Radford D C G409
Ponting D K: Flavour symmetry breaking and production processes in dual unitarisation G629
Popelier M A: *see* van Eijk C W E G315
Pöpping H: *see* Dreissigacker K G1199
Pradhan T: *see* Khare A G337
Price H G: *see* Ekström L P G803
Price H G: *see* Mustaffa O M G1283
Price H G: *see* Morrison T P G1751
Price H G: *see* Wadsworth R G1761
Protheroe R J: *see* McComb T J L G1613
Proto A N, Otero D and Achterberg E: Gamma–gamma coincidences and electron conversion measurement in ^{141}La G121
Prull D E: *see* Kluger-Bell B M G827

Radford D C and Poletti A R: Lifetimes of excited states in ^{54}Mn and ^{53}Cr G409
Raina A K and Singh V: Unitarity bounds on elastic absorptive amplitudes involving total cross section, forward slope and curvature. II G1019
Rajpoot S and Singer M: SU(3) × U(1) low-energy symmetry within the unifying $SU(4)_F \times SU(4)_C$ gauge group G871

Ramachandran G, Keshavamurthy R S and Murthy M V N: Photoproduction of charged pions on neutrons G1525
Rammo N R F: *see* Al-Naser A M G423
Rammo N R F: *see* Behbehani A H G971
Rammo N R F: *see* Behbehani A H G1117
Rathle M: *see* Grant I S G1741
Reif R: *see* Schmidt R GL181
Reinecke M: *see* Herold H G907
Reinhardt H: Path-integral approach to time-dependent self-consistent field theories GL91
Richard J-M: Isospin et baryonium GL141
Riley P A: *see* Bakich A M G433
Ristinen R A: *see* Kluger-Bell B M G827
Roberts R G, Hwa R C and Matsuda S: Parton recombination model including resonance production G1043
Robotham H: *see* Massmann H G915
Roman S: *see* Barnwell J GL69
Rose H J and Sinclair D: A search for high-energy alpha particles from superheavy elements G781
Rosenfelder R and Husain J: A Fano effect in photonuclear reactions? GL217
Ross G G and Weiler T: Is there a new neutral current? G733
Rotter I: On isospin-forbidden transitions G75
Rotter I: External mixing of resonance states G251
Rotter I: On structures in the energy dependence of nuclear reaction cross sections G685
Rotter I: Spectroscopic investigation of decaying states G1575
Rotter I: *see* Kämpfer B G747
Ruder H: *see* Herold H G341
Ruder H: *see* Herold H G907

Sainio M E: *see* Green A M G503
Saleem M: *see* Gul K G1107
Samanta B C: *see* Dey M G757
Samaranayake V K: Determination of the pion–nucleon coupling constant G657
Sandhya Devi K R, Strayer M R and Irvine J M: TDHF calculations for nuclear collisions: model studies of alpha–alpha scattering G281
Săndulescu A: *see* Poenaru D N GL169
Săndulescu A: *see* Magda M T G961
Sargood D G: *see* Kennett S R G399
Satpathy R K: *see* Behera B G85
Satpathy R K: *see* Behera B G1085
Sau J and Heyde K: On a comparison between Lanczos and Householder methods G1643
Sauer P U: *see* Dreissigacker K G1199
Saxv E L: *see* Yap C T G1157
Saxena R N, Esteves V A P and Zawislak F C: Directional correlations of gamma transitions in ^{105}Rh G1169
Scadron M D: *see* Delbourgo R G1621
Scharff-Goldhaber G: Pseudomagic nuclei GL207
Scheid W: *see* Heinz U G1383
Schiller A: Three-jet production in large-$p_\perp$ reactions G1329
von Schlippe W: *see* Kroll P G1179
Schmidt R and Reif R: Angular momentum dissipation in DIC within a classical friction model GL181
Schobbert H: *see* Fodor I G1267
Schopper E: *see* Baumgardt H G GL231
Schulz H: *see* Münchow L G527
Schulz N: *see* Toulemonde M G819
Scobel W: *see* Karius H G715
Scott S M, Warner D D, Hamilton W D, Hungerford P, Jung G, Wünsch K D and Pfeiffer B: The onset of deformation in the neutron-rich Ba isotopes GL187
Sen S: *see* Krishnarajulu B G319
Sharma K, Verma R C and Khanna M P: Radiative weak decays of uncharmed hyperons G1519
Sharpey-Schafer J F: *see* Al-Naser A M G423
Sharpey-Schafer J F: *see* Behbehani A H G971
Sharpey-Schafer J F: *see* Behbehani A H G1117
Sheppard H M: *see* Al-Naser A M G423
Sheppard H M: *see* Behbehani A H G971
Shkolnik K D: *see* Borovoy A A G723
Shoeb M: *see* Mujib F G541
Short L: The evaluation of Feynman integrals in the physical region using multi-valued approximants G167
Shotter A C: Virtual photon intensity and finite nuclear size effects G371
Simister D N: *see* Ekström L P G803
Simister D N: *see* Mustaffa O M G1283
Simister D N: *see* Morrison T P G1751
Simonov Yu A and van der Velde M: On the structure of the πd amplitude near the ΔN threshold G493
Simonov Yu A: *see* Belyaev V B G1057
Sinclair D: *see* Rose H J G781
Singer M: *see* Rajpoot S G871
Singh B: *see* Taylor H W G1445
Singh V: *see* Raina A K G1019
Siohan F: *see* MacFall J R G861
Skalski J: *see* Dudek J G1359
Smith B L: *see* Kluger-Bell B M G827
Soloviev V G: *see* Khuong C Z GL79
Sowiński M: *see* Czyzewski T G1001
Spitz S: *see* Jacquemin C GL95
Stiehler T: *see* Komarov V I G1717
Stoyanov D T: *see* Aneva B L G463
Strayer M R: *see* Sandhya Devi K R G281
Streitmatter R E: *see* MacFall J R G861
Strzałkowski A: *see* Jarczyk L G565
Suga K: *see* Aguirre C G139
Suga K: *see* Aguirre C G151
Switkowski Z E: *see* Kennett S R G399
Sziklai J: *see* Fodor I G1267

Tadić D: *see* Galić H GL113

Taylor H W and Singh B: The decay of 2·8 min ^{145}Ce and 2·3 min ^{148}Pr G1445
Tesch S: *see* Komarov V I G1717
Thornton G J and Clay R W: Atmospheric Cerenkov study of the development of cosmic-ray showers GL137
Tinkova E: *see* Dogotar G E GL221
Titarenko N N: *see* Gyarmati B G1225
Tohei T: *see* Doll P G1421
Tomaszewski A: *see* Bielawska H GL37
Tondeur F: Self-consistent study of the surface thickness of nuclear densities and single-particle potentials G1189
Toneev V D: *see* Gudima K K G229
Tonwar S C: Proton–proton total cross section at cosmic ray energies GL193
Tonwar S C: *see* Bhat P N GL13
Tonwar S C: *see* MacFall J R G861
Toulemonde M, Beck F A, Gehringer C, Haas B, Merdinger J C, Schulz N and Vivien J P: Experimental evidence for low-lying intruder states in ^{54}Mn G819
Toyoda Y: *see* Aguirre C G139
Toyoda Y: *see* Aguirre C G151
Trepp A: *see* Aguirre C G139
Treppi A: *see* Aguirre C G151
Turver K E: *see* McComb T J L G1613
Twin P J: *see* Ekström L P G803
Twin P J: *see* Mustaffa O M G1283
Twin P J: *see* Morrison T P G1751
Twin P J: *see* Wadsworth R G1761
Tys J: *see* Czyzewski T G1001

Ullah N: On the distribution of the angular momentum coefficients G67
Ungricht E: *see* Jarczyk L G565
Usmani Q N: *see* Mujib F G541

Vaagen J S and Kumar K: Matrix elements for scattering and two-nucleon transfer operators derived from dynamic deformation theory wavefunctions G1211
Vaughn M T: Massless fermion representations in grand unified gauge theories G1317
Végh L: On the elastic pd and quasifree A(p, Nd)B scattering at intermediate energies GL121
Végh L and Erö J: The dσ(p, pd)/dσ(p, nd) ratio for ^{7}Li at T_p = 670 MeV calculated in a simple model GL227
van der Velde M: *see* Simonov Yu A G493
Verma R C and Khanna M P: Weak hadronic decays of uncharmed baryons in SU(3)—dynamical considerations G1033
Verma R C: *see* Kanwar S G219
Verma R C: *see* Sharma K G1519
Vertse T: *see* Gyarmati B G1225
Viswanath P R: *see* MacFall J R G861
Vivien J P: *see* Toulemonde M G819
Voronov V V: *see* Khuong C Z GL79
Vourvopoulos G: *see* Cindro N G309

Wadsworth R, Ekström L P, Jones G D, Kearns F, Morrison T P, Mustaffa O M, Price H G, Twin P J and Ward N J: A study of the neutron-deficient isotope ^{66}Ge G1761
Wadsworth R: *see* Ekström L P G803
Wadsworth R: *see* Mustaffa O M G1283
Wadsworth R: *see* Morrison T P G1751
Wagner G J: *see* Fuchs H G797
Wagner G J: *see* Doll P G1421
Waheed A: *see* Gul K G1107
Walker P M: *see* Dracoulis G D GL19
Walliser H: *see* Dreissigacker K G1199
Walster N D: *see* Baruch J E F G595
Wang M C: *see* Chuu D S G59
Ward N J: *see* Ekström L P G803
Ward N J: *see* Mustaffa O M G1283
Ward N J: *see* Wadsworth R G1761
Warke C S: *see* Gunye M R GL83
Warner D D, Davidson W F and Gelletly W: Correlations between (n, γ) and (d, p) reactions on ^{144}Sm G1723
Warner D D: *see* Scott S M GL187
Webber D M: *see* Michael C GL1
Weiler T: *see* Ross G G G733
Werner T: *see* Dudek J G1359
Wijnhorst J: *see* van Eijk C W E G315
Wilkin C: *see* Germond J-F GL127
Winn M M: *see* McCusker C B A G159
Wright A D M: *see* Collins P D B G1461
Wünsch K D: *see* Scott S M GL187

Yadrovsky E L: *see* Gyarmati B G1225
Yap C T and Saw E L: On the deformation parameter of ^{66}Ga G1157
Yee K F: *see* Dracoulis G D GL19
Yeung W B: Some aspects of the solutions of cylindrically symmetric Yang–Mills equations G457
Yodh G B: *see* MacFall J R G861
Yoshii H: *see* Aguirre C G139
Yoshii Y: *see* Aguirre C G151

Zawislak F C: *see* Saxena R N G1169
Živanović Dj: *see* Lazard C G1549
Zolnai L: *see* Gyarmati B G1225
Zybert L H: *see* Al-Naser A M G423
Zybert L H: *see* Behbehani A H G1117
Zybert R: *see* Al-Naser A M G423
Zybert R: *see* Behbehani A H G1117